

Philips Cineos widescreen flat TV with Pixel Plus 2 HD and Ambilight 2 channel

37"

LCD HD Ready

CINEOS

37PF9830













Turn up your viewing experience

with Pixel Plus 2 HD and Ambilight 2

Enjoy the ultimate viewing experience of this Philips Cineos Flat TV with Pixel Plus 2 HD, Ambilight 2, true HD LCD technology and a motorised swivel stand. The Digital Media Reader will give you an even wider access to multimedia content.

Be an eyewitness

- LCD Full HD display, 1920x1080p
- · HD ready for the highest quality display of HDTV signals
- · Pixel Plus 2 HD improves details in standard TV and HDTV
- Two-channel active Ambilight enhances the viewing experience

True beauty lies in the details

- 2 integrated NXT $^{\mbox{\scriptsize TM}}$ Monolith speakers with amazing performance
- · Matching design stand with motorised swivel included

Perfect picture quality from your digital photos

• USB and Memory-Card slot for instantly playing multimedia

Advanced connection to your audio/video products

· Most modern and highest quality HDMI and DVI-I connectivity





37PF9830/10

Technical specifications

Picture / Display

- Aspect ratio: 16:9
- Brightness: 550 cd/m²
- Diagonal screen size: 37 inch / 94 cm
- Display screen type: LCD True HD W-UXGA Act. matrix
- Picture enhancement: Progressive scan, 3D combfilter, Active Control & Light sensor, Digital Natural Motion, Jagged line suppression, Movie plus, Widescreen plus, Pixel Plus 2 HD, Dynamic contrast enhancement
- Screen enhancement: Anti reflection coated screen
- Viewing Angle (H / V): 176 / 176 degree
- Panel resolution: 1920x1080p
- Response time (typical): 6 ms
- Dynamic screen contrast: 5000:1

Ambilight

- Ambilight Features: Ambilight 2 Channel, Auto adaptive to video content, 2 Channel Left/Right
- Colour settings: Full Multi-Colour
- Dimming function: Manual and via light sensor
- Preset modes: 2 Preset & I Personal colour, 4 Active Adaptive modes

Supported Display Resolution

Computer formats

Resolution Refresh rate 640 x 480 60H7 800×600 60HZ 1024 x 768 60HZ

Video formats

Resolution Refresh rate 640 x 480i **IFh** $640 \times 480p$ 2Fh **IFh** 720 x 576i $720 \times 576p$ 2Fh $1280 \times 720p$ 3Fh 1920 x 1080i 2Fh

Sound

- Sound enhancement: Auto volume leveller, Digital signal processing, Dynamic bass enhancement, Graphic equaliser
- Sound system: Virtual Dolby Digital
- Output power (RMS): 3x15W

Loudspeakers

- Built-in speakers: 3
- Loudspeaker types: Flat NXT monolith speakers, Integrated subwoofer

Convenience

- Ease of installation: Auto programme naming, Automatic Channel Install (ACI), Automatic Tuning System (ATS), Auto store, PLL digital tuning, Plug & Play
- Ease of Use: On screen display, Program list, Smart picture control, Smart sound control
- Remote control type: RC4310
- Teletext: 1200 page hypertext
- Teletext enhancements: Habit watch, Program information line
- Picture in Picture: Full dual screen (2 tuners), Mosaic, Text dual screen
- Remote control: Amp, DVD, DVD-R, Sat, Universal and Learnable, VCR
- · Screen format adjustments: 6 widescreen modes, Auto format, Subtitle and heading shift, Movie expand 14:9, Movie expand 16:9, Widescreen, 4:3, Super Zoom, Subtitle Zoom
- Clock: Smart clock
- Child Protection: Child lock & parental control
- Connection enhancement: Easy link

Multimedia Applications

- Digital content management: Digital Media Reader
- Memory card types: Compact Flash type I, Compact flash type II, Memory stick, Micro drive, Multi-Media Card (MMC), Secure Digital Card (SD), Smart Media Card

- Multimedia connections: USB
- Playback formats: JPEG still pictures, MP3, Slideshow files (.alb)

Tuner / Reception / Transmission

- Tuner bands: Hyper band, S channel, UHF, VHF
- TV system: PAL, SECAM
- Video playback: NTSC, PAL, SECAM
- Aerial input: 75 ohm coaxial (IEC75)

Connectivity

- Ext I Scart: Audio L/R, CVBS in/out, RGB
- Ext 2 Scart: Audio L/R, CVBS in/out, RGB, Y/C
- Ext 3 Scart: Audio L/R, CVBS in, CVBS in/out
- Ext 4: S/PDIF digital coaxial, YPbPr
- Ext 5: DVI-I with HDCP, YPbPr
- Ext 6: HDMI
- Other connections: Analogue audio left / right out, S/PDIF in (coaxial), S/PDIF out (coaxial)
- Front / Side connections: 2 x USB, Audio L/R in, CVBS in, Headphone out, Multi-slot memory card reader, S-Video in

Power

- Power consumption: 221 W
- Standby power consumption: I
- Mains power: AC 220 240 V +/- 10%
- Ambient temperature: +5 -/+ 40 C

Dimensions


- Product dimensions (WxDxH): 1130 x 680 x 96mm
- Product weight: 28 kg
- Carton dimensions (WxDxH): I 188 x 900 x
- Weight incl. packaging: 47 kg
- Colour cabinet: Pearl white silver (11092)

Accessories

- Included accessories: DVI-I to VGA adapter, Motorised RC swivel stand, Wall mounting
- Optional accessories: 5 in one connection cable, Floor stand



Rear connectors























Date of issue 2006-07-03

Version: 20.0

12 NC: 8670 000 21636 EAN: 87 10895 87904 0

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners. © 2006 Koninklijke Philips Electronics N.V. All Rights reserved.

www.philips.com

widescreen flat TV with Pixel Plus 2 HD and Ambilight 2 channel 37" LCD HD Ready



37PF9830/10

Product highlights

LCD Full HD display 1920x1080p

This display has a resolution that is referred to as Full HD. With state-of-the-art LCD screen technology it has the full high-definition widescreen resolution of 1920 x 1080p. This is the highest resolution that HD broadcast can transmit. It allows the best possible picture quality from any format of HD input signal. It produces brilliant flicker-free progressive scan pictures with optimum brightness and superb colours. This vibrant and sharp image will provide you with an enhanced viewing experience.

HD Ready

Enjoy the exceptional picture quality of a true High Definition TV signal and be fully prepared for HD sources like HDTV broadcast, Blu-ray DVD or HDVD. HD ready is a protected label that offers picture quality beyond that of progressive scan. It conforms to strict standards laid out by EICTA to offer a HD screen that displays the benefits of resolution and picture quality of a High Definition TV signal. It has a universal connection for both analogue YPbPr and uncompressed Digital connection of DVI or HDMI, supporting HDCP. It can display 720p, and 1080i signals at 50 and 60Hz.

Pixel Plus 2 HD

Pixel Plus 2 HD offers the unique combination of ultimate sharpness, natural detail, increased depth, vivid colours and smooth and natural motion from standard TV, High Definition signals and multimedia sources. Each pixel of the incoming picture is enhanced to better match the surrounding pixels, resulting in a more natural picture. Artefacts in compressed multimedia content are detected and reduced, ensuring that the picture is clean and razor sharp. Digital noise reduction ensures that the picture is perfectly smooth yet razor sharp.

Ambilight 2 channel

Ambilight makes an impressive contribution to the overall viewing experience by producing ambient light to complement the colours and light intensity of the onscreen image. It adds a new dimension to the viewing experience, completely immersing you into the content you are watching. It creates ambiance, stimulates more relaxed viewing, and improves perceived picture detail, contrast and colour. Ambilight automatically and independently adapts its colours according to the changing content on the screen.

Flat NXT monolith speakers

The ground-breaking NXT™ surface sound principle has been further developed into the monolith speaker technology, which actually uses the outer surface of the TV cabinet as the speaker membrane. The speakers are now virtually invisible, bringing a stunning design, and a pure and direct sound radiation.

Bypacked motorised swivelstand

The high-quality stand is designed specifically for this TV, and facilitates easy placement of your Flat TV without drilling holes in the wall. Enjoy the finger-tip convenience of finding the best viewing angle and the magic effect of the motorised swivel operated by the TV's remote control. It rotates over a total range of 60 degrees (30 degrees each side), with memory positions for the central and 'previous position'. Invisible Cable management is included in the back. This stand is designed to fit on the matching accessory floorstand.

