

Experience Extreme Clarity.

Introducing the Electrograph line of LCD TV's



DTS46LTD | 46" LCD TV

DTS42LTD | 42" LCD TV

DTS37LTD | 37" LCD TV

DTS32LTD | 32" LCD TV

The sleek and expansive 46" DTS46LTD, 42" DTS42LTD, 37" DTS37LTD and 32" DTS32LTD LCD TV's epitomize the successful convergence of High Clarity LCD TV viewing and astonishing affordability. Electrograph's LCD TV's maintain HDTV and PC compatibility and state-of-the-art video processing. With Electrograph's Advanced Interlaced Progressive Technology, you'll experience outstanding picture quality. The new DTS Series LCD TV's only from Electrograph.

When it comes to value... We go to extremes.



Countless Options. | One Source.

800.776.5768 | electrograph.com

All product pictured with optional stand & speakers.

Experience Extreme Clarity.

		DTS32LTD	DTS37LTD	DTS42LTD	DTS46LTD	
Key Features	Display Size	32-Inch 16:9 Diagonal Screen	37-Inch 16:9 Diagonal Screen	42-Inch 16:9 Diagonal Screen	46-Inch 16:9 Diagonal Screen	
	Response Time	8ms	8ms	8ms	8ms	
	Display Size	1,200:1	1,200:1	1,200:1	800:1	
	Brightness	600 cd/m2	600 cd/m2	600 cd/m2	450 cd/m2	
	Pixel Format	1366 x 768	1366 x 768	1366 x 768	1366 x 768	
	Screen Format	4:3, 16:9, Zoom1, Zoom2, Panorama	4:3, 16:9, Zoom1, Zoom2, Panorama	4:3, 16:9, Zoom1, Zoom2, Panorama	4:3, 16:9, Zoom1, Zoom2, Panorama	
	HDTV Input	480i(p/60Hz), 576i(p/50Hz), 720p(50/60Hz), 1080i(50/60Hz)	480i(p/60Hz), 576i(p/50Hz), 720p(50/60Hz), 1080i(50/60Hz)	480i(p/60Hz), 576i(p/50Hz), 720p(50/60Hz), 1080i(50/60Hz)	480i(p/60Hz), 576i(p/50Hz), 720p(50/60Hz), 1080i(50/60Hz)	
Video Reception	NTSC/PAL	NTSC/PAL	NTSC/PAL	NTSC/PAL		
Picture	3D Video NR	Yes (Enhanced)	Yes (Enhanced)	Yes (Enhanced)	Yes (Enhanced)	
	3D Comb Filter	Yes	Yes	Yes	Yes	
	Color Enhancer	Hor./Ver. Edge Enhancer & Green, Blue, Skin Color	Hor./Ver. Edge Enhancer & Green, Blue, Skin Color	Hor./Ver. Edge Enhancer & Green, Blue, Skin Color	Hor./Ver. Edge Enhancer & Green, Blue, Skin Color	
	Film Mode	2:2, 3:2 Pull Down	2:2, 3:2 Pull Down	2:2, 3:2 Pull Down	2:2, 3:2 Pull Down	
	Screen Size	16:9 / Panorama / Zoom 1,2 / 4:3	16:9 / Panorama / Zoom 1,2 / 4:3	16:9 / Panorama / Zoom 1,2 / 4:3	16:9 / Panorama / Zoom 1,2 / 4:3	
TV	Reception System	NTSC	NTSC	NTSC	NTSC	
	Digital TV	ATSC (8VSC/DVB-T)	ATSC (8VSC/DVB-T)	ATSC (8VSC/DVB-T)	ATSC (8VSC/DVB-T)	
	MTS	Mono / Stereo / SAP	Mono / Stereo / SAP	Mono / Stereo / SAP	Mono / Stereo / SAP	
	Program Memory	99 for Air / 125 for Cable	99 for Air / 125 for Cable	99 for Air / 125 for Cable	99 for Air / 125 for Cable	
	Digest System	Available for Analog Signal	Available for Analog Signal	Available for Analog Signal	Available for Analog Signal	
	Auto Scan Time	2 sec	2 sec	2 sec	2 sec	
Sound	AVC(Auto Volume Control)	AVC(Auto Volume Control)	AVC(Auto Volume Control)	AVC(Auto Volume Control)	AVC(Auto Volume Control)	
	5 Sound Modes	5 Sound Modes	5 Sound Modes	5 Sound Modes	5 Sound Modes	
	User EQ	User EQ	User EQ	User EQ	User EQ	
	Spatial Effect	Spatial Effect	Spatial Effect	Spatial Effect	Spatial Effect	
	Lip-Sync Delay Effect	Lip-Sync Delay Effect	Lip-Sync Delay Effect	Lip-Sync Delay Effect	Lip-Sync Delay Effect	
PIP	Support PIP / POP	ATSC TV to NTSC TV Video to Video Video to Graphic (Graphic to Video) Graphic to Graphic	ATSC TV to NTSC TV Video to Video Video to Graphic (Graphic to Video) Graphic to Graphic	ATSC TV to NTSC TV Video to Video Video to Graphic (Graphic to Video) Graphic to Graphic	ATSC TV to NTSC TV Video to Video Video to Graphic (Graphic to Video) Graphic to Graphic	
	Dual Screen Swap	Yes	Yes	Yes	Yes	
	PIP Position	4 Positions	4 Positions	4 Positions	4 Positions	
	Channel Digest	15 windows	15 windows	15 windows	15 windows	
	PIP Size	Small / Large / Twin	Small / Large / Twin	Small / Large / Twin	Small / Large / Twin	
	Input / Output Ports					
	Input / Output Ports	AV 1	CVBS (Input x 1) / (Output x 1)	CVBS (Input x 1) / (Output x 1)	CVBS (Input x 1) / (Output x 1)	CVBS (Input x 1) / (Output x 1)
AV 2		CVBS (Input x 1)	CVBS (Input x 1)	CVBS (Input x 1)	CVBS (Input x 1)	
Support Language		English, French, Spanish, Korean	English, French, Spanish, Korean	English, French, Spanish, Korean	English, French, Spanish, Korean	
S-Video / AV3		CVBS / D-Sub 4pin x 1	CVBS / D-Sub 4pin x 1	CVBS / D-Sub 4pin x 1	CVBS / D-Sub 4pin x 1	
TV		RF x 2	RF x 2	RF x 2	RF x 2	
Component 1		Y, Pb, Pr, L/R	Y, Pb, Pr, L/R	Y, Pb, Pr, L/R	Y, Pb, Pr, L/R	
Component 2		Y, Pb, Pr, L/R	Y, Pb, Pr, L/R	Y, Pb, Pr, L/R	Y, Pb, Pr, L/R	
PC (Analog RGB)		Mini D-Sub 15Pin x 1 port / HDTV Input	Mini D-Sub 15Pin x 1 port / HDTV Input	Mini D-Sub 15Pin x 1 port / HDTV Input	Mini D-Sub 15Pin x 1 port / HDTV Input	
DVI (HDCP)		Mini D-Sub 29Pin x 1 port / HDTV Input	Mini D-Sub 29Pin x 1 port / HDTV Input	Mini D-Sub 29Pin x 1 port / HDTV Input	Mini D-Sub 29Pin x 1 port / HDTV Input	
HDMI		1 (HDMI 1.0)	1 (HDMI 1.0)	1 (HDMI 1.0)	1 (HDMI 1.0, Stereo L/R)	
Audio Lineout		S-PDIF x 1 for DTV only	S-PDIF x 1 for DTV only	S-PDIF x 1 for DTV only	S-PDIF x 1 for DTV only	
Audio Out		7W / Channel RMS	7W / Channel RMS	7W / Channel RMS	7W / Channel RMS	
RS-232C Control	1 DB9	1 DB9	1 DB9	1 DB9		
Special Features	Full HDMI / HDCP Solution	Full HDMI / HDCP Solution	Full HDMI / HDCP Solution	Full HDMI / HDCP Solution		
	EPG (Electronic Program Guide)	EPG (Electronic Program Guide)	EPG (Electronic Program Guide)	EPG (Electronic Program Guide)		
	Dolby Digital	Dolby Digital	Dolby Digital	Dolby Digital		
	MPEG Audio Decoding	MPEG Audio Decoding	MPEG Audio Decoding	MPEG Audio Decoding		
	SRS TruSurround XT	SRS TruSurround XT	SRS TruSurround XT	SRS TruSurround XT		
Power Consumption	Input Power	AC 110-240V 50/60Hz	AC 110-240V 50/60Hz	AC 110-240V 50/60Hz	AC 110-240V 50/60Hz	
Dimensions / Weight	Main Set	31.18" x 19.16" x 3.98" / 39.7 lbs 792mm x 486.6mm x 101mm / 18Kg	36.02" x 21.93" x 4.02" / 52.9 lbs 915mm x 557mm x 102mm / 24Kg	41.57" x 25.51" x 4.02" / 77.2 lbs 1056mm x 648mm x 102mm / 35Kg	44" x 26.47" x 4" / 107.4 lbs 1118mm x 672.4mm x 101.5mm / 48.7Kg	
	Main with Stand	31.18" x 21.83" x 10.63" / 44.1 lbs 792mm x 554.6mm x 270mm / 20Kg	36.02" x 24.61" x 10.63" / 57.3 lbs 915mm x 625mm x 270mm / 26Kg	41.57" x 28.03" x 12.01" / 81.6 lbs 1056mm x 712mm x 305mm / 37Kg	44" x 29" x 12" / 118.4 lbs 1118mm x 735.8mm x 305mm / 53.7Kg	
	Main with Stand & Speakers	39.06" x 21.83" x 10.63" / 52.9 lbs 992mm x 554.6mm x 270mm / 24Kg	43.62" x 24.61" x 10.63" / 66.2 lbs 1108mm x 625mm x 270mm / 30Kg	49.45" x 28.03" x 12.01" / 90.4 lbs 1256mm x 712mm x 305mm / 34.8Kg	51.9" x 29" x 12" / 129.4 lbs 1318mm x 735.8mm x 305mm / 58.7Kg	




Countless Options. | One Source.

800.776.5768 | electrograph.com



©2006 Electrograph Systems, Inc. All Rights Reserved. Product design and specifications subject to change without notice.

Viewing the Connecting Panel

Back Panel and Jacks



Back panel of the TV



1	DVI & D-Sub (PC) Sound	11	SPDIF (optical)
2	DVI	12	Phone Jack
3	HDMI	13	AV
4	RS-232C	14	S-VIDEO
5	D-Sub (PC)	15	S-VIDEO/AV Sound
6	COMPONENT1, 2	16	A-TV Antenna
7	COMPONENT Sound1, 2	17	D-TV Antenna
8	VIDEO1	18	Speaker
9	VIDEO OUTPUT2	19	AC Power
10	VIDEO2		