

E320GV-FHD LED HDTV



Feature

- 31.5" LED HDTV
- Tempered Glass Stand
- Max Supported Res. 1920 x 1080
- Support HD 1080P
- 3 HDMI Ports, USB slot, Headphone
- Response time 5ms
- Neck & Base Detachable

Product Overview

Stylish Nickel Brush E320GV-FHD 31.5" LED HDTV features crystal clear LED display that emits brighter and more robust colors with 3 HDMI and a 5 response time for a complete entertainment experience. All while saving energy. With the additional feature of a USB port helps further expand the functionality of your TV, allowing users to listen to music and view digital pictures quickly and conveniently. This E320GV-FHD can also be used as a PC monitor for a better viewing experience.





E320GV-FHD LED HDTV

LCD PANEL

Active Screen Size	31.5"
Aspect Ratio	16:9 Wide Screen
Brightness	400 cd/m ²
Contrast Ratio	50000 :1 (TYP)
Resolution	1920 x 1080
Response Time	5ms
Colors	16.7 million
Lamp Life	> 20,000 hours
Viewing Angle	176º (horizontal) / 176º (vertical)

FEATURES

On Screen Display Control (OSD)	Picture, Sound, Channel, Parental, Setup, Others
Built-in Tuner	ATSC / NTSC
Auto Dynamic Contrast Enhancement	Yes
3D Comb Filter	Yes
Noise Reduction	Yes
MPEG Noise Reduction	Yes
Built-in speakers	5 watts per Channel x 2
Surround Mode	Yes
Sound Equalizer Settings	Yes
Auto Volume Level Control	Yes

FEATURES

Tilt Angles	No
Swivel Angles	+/- 30 degree
Height Adjustable	No
Neck & Base Detachable	Yes
Wall Mountable	Yes

INPUTS

HDMI	3
Cable / Antenna Input	1
Component (YPbPr) Input	1
Composite Video	1
S-Video	1
VGA	1
Audio In	1
USB Input	1

OUTPUTS

SPDIF Audio Output	1 (Coaxial Type)
Analog Audio Output	1 (L + R)
Headphone Output	1



E320GV-FHD LED HDTV

SIGNAL COMPATIBILITY

HDTV 1080P, 1080i, 720P, 480P, 480i HDMI Input Support up to 1080P VGA Input Support 1920 x 1080 @ 60Hz (Native & Max)

DIMENSIONS

TV with stand	TBD	
TV without stand	TBD	
Package Dimensions	TBD	
WEIGHT		
Net Weight	TBD	
Gross Weight	TBD	

REGULATIONS

Certificates	cTUV us, FCC Class B
Compliances	RoHS

Power Source

Power Source	110∼240V, 60/50 Hz
Power Consumption	<100W (Typical) <0.66W (Standby)

WALL MOUNT SPECIFICATIONS

Screw Size (mm)	TBD
Hole Pattern (mm)	TBD