

KDL-32BX320

32" Class (31.5" diag.) BRAVIA® BX320-Series HDTV

Get great Sony HD picture quality in a compact size for any room. With the Sony® BX320-Series HDTV, high-definition is just the beginning. You'll also enjoy innovative features like a built-in sensor that automatically adjusts the screen's brightness based on the room's lighting for the best possible picture. Plus instantly share photos, music and videos with the USB port.



Bullets

- Amazing High Definition (720p) picture quality
- 5 HD Inputs to connect multiple HD devices
- Share photos, music & videos using the USB Input
- Customized picture & sound settings
- Automatic picture adjustment based on room lighting

Features

HD 720p Resolution Panel

Enjoy crisp, detailed and vibrant images in 720p picture quality while watching movies, sports and primetime HD television broadcasts via the 16:9 wide screen panel (1366 x 768).

5 HD Inputs

Get versatile HD connection options with five HD inputs, including two HDMI™ inputs, two HD component inputs provide added HD-capable connectivity in addition a PC input (HD-15 pin) lets you use your HDTV as a computer monitor.

USB Input

Share your photos on the big screen or listen to your favorite music. Simply connect your digital camera, USB-enabled MP3 player, or USB storage device directly to your HDTV's USB input.

Scene Select

Easily manage your settings for the best HDTV experience with Scene Select. Choose from five different packages each with preconfigured picture and audio settings, including Sports, Photo, Game, Cinema and Music.

BRAVIA® Sync™ Compatible

Conveniently operate and control other BRAVIA® Sync™ compatible devices - including BRAVIA® HDTVs, Blu-ray Disc™ Players, surround sound systems, Handycam® camcorders and Cyber-shot® digital still cameras, all with one remote control.

LightSensor™ Technology

Enjoy customized picture brightness and save energy without lifting a finger. The built-in Light Sensor automatically adjusts the picture brightness based on the amount of light in the room.

Specifications

Audio	
Audio Power Output	8W + 8W
Speaker Configuration	2
Speaker Position	Rear Facing
Audio Features	
5.1 Channel Audio Out	Yes
5.1ch Through Out (Handycam)	Yes

Alternate Audio (Digital)	Yes
Audio Out	Fixed
Auto Mute (on no signal)	Yes
Auto SAP	Yes
Dolby®	Dolby Digital
Invisible Speaker (w/Sound Elevation)	Yes
Sound Mode	Dynamic, Standard, Clear Voice, Custom

Automatic Volume Control	Yes
Stereo System	MTS
Surround Effect	Cinema, Game, Music, Sports
Convenience Fea	atures
Auto Shut-off	Yes
BRAVIA® Sync™	Yes
Channel Block (with password)	Yes
Channel Jump	Yes

SteadySound®

SONY make.believe

Channel Surf	Yes
Control for HDMI™ (HDMI™ CEC)	Yes
Edit Channel Labels	Yes
Favorites (Simple UI)	Yes
Info Banner	Yes
Input Skip	Manual
Label Inputs	Yes
Multiple Language Display	English, French, Spanish
On-Screen Display for External Input	Yes
Parental Control	Yes
Picture Adjustments Lock	Yes
Picture Frame Mode	Yes
PIP (Picture in Picture)	Yes
Scene Select	Photo, Music, Cinema, Game, Graphics, Sports, General
Show/Hide Channels	Yes
Sleep Timer	Yes
USB Play	Yes
Display	
Aspect Ratio	16:9
Display Resolution	1366 X 768p (WXGA)
Panel Frequency	60Hz
Screen Size (measured diagonally)	32" (31.5")
Viewing Angle (Right/Left)	176°
Viewing Angle (Up/Down)	176°
Energy Saving & E	fficiency
Backlight Off Mode	Yes
Dynamic Backlight Control	Yes
General Features	
Closed Captions (CC)	Analog, Digital
Finish (Surface Color)	Black
Start Up Sony Logo Display	Yes
Inputs and Outpu	ts
AC Power Input	1 (Rear)
Analog Audio Input(s) (Total)	3 (1 Side/ 2 Rear)
Analog Audio	3 (1 Side/ 2 Rear) 1 (Rear)
Analog Audio Input(s) (Total)	

Composite Video Input(s)	2 (1 Side/1 Rear/Hybrid)
Digital Audio Output(s)	1 (Rear)
HDMI™ Connection(s) (Total)	2 (Rear)
HDMI™ PC Input	Yes
PC In (D-Sub) + Audio In (Stereo Mini)	D-Sub 1 (Side), Mini 1 (Rear)
RF Connection Input(s)	1 (Rear)
USB 2.0	1 (Side)
Power	
Power Consumption (in Operation) max.	115W
Power Consumption (in Standby)	0.25W (120V)
Power Requirements (frequency)	60Hz for UL
Power Requirements (voltage)	AC 120V for UL
Recycled & Recyc	clable Materials
Packaging Materials	Recycled Carton (more than 40%)
Regulation and St	andards Compliance
VESA® Hole Pitch	200x200 mm
VESA® Hole Spacing Compatible	Yes
Spacing	Yes
Spacing Compatible	Yes Yes
Spacing Compatible Sensing Features LightSensor™	Yes
Spacing Compatible Sensing Features LightSensor™ Technology Service and Warro Limited Warranty Term	Yes
Spacing Compatible Sensing Features LightSensor™ Technology Service and Warra Limited Warranty	Yes anty Information 1 Year Parts / 1 Year
Spacing Compatible Sensing Features LightSensor™ Technology Service and Warro Limited Warranty Term	Yes anty Information 1 Year Parts / 1 Year
Spacing Compatible Sensing Features LightSensor™ Technology Service and Warra Limited Warranty Term TV System Channel	Yes anty Information 1 Year Parts / 1 Year Labor VHF: 2-13, UHF: 14-69.
Spacing Compatible Sensing Features LightSensor™ Technology Service and Warra Limited Warranty Term TV System Channel Coverage	Yes anty Information 1 Year Parts / 1 Year Labor VHF: 2-13, UHF: 14-69, CATV: 1-135
Spacing Compatible Sensing Features LightSensor™ Technology Service and Warra Limited Warranty Term TV System Channel Coverage Color System Number of Tuners	Yes Canty Information 1 Year Parts / 1 Year Labor VHF: 2-13, UHF: 14-69, CATV: 1-135 NTSC
Spacing Compatible Sensing Features LightSensor™ Technology Service and Warra Limited Warranty Term TV System Channel Coverage Color System Number of Tuners (Analog)	Yes Canty Information 1 Year Parts / 1 Year Labor VHF: 2-13, UHF: 14-69, CATV: 1-135 NTSC 1
Spacing Compatible Sensing Features LightSensor™ Technology Service and Warranty Therm Channel Coverage Color System Number of Tuners (Analog) Number of Tuners (Digital) Tuner (Cable) Tuner (Terrestrial)	Yes Conty Information 1 Year Parts / 1 Year Labor VHF: 2-13, UHF: 14-69, CATV: 1-135 NTSC 1 1
Spacing Compatible Sensing Features LightSensor™ Technology Service and Warra Limited Warranty Term TV System Channel Coverage Color System Number of Tuners (Analog) Number of Tuners (Digital) Tuner (Cable)	Yes anty Information 1 Year Parts / 1 Year Labor VHF: 2-13, UHF: 14-69, CATV: 1-135 NTSC 1 1 Clear QAM
Spacing Compatible Sensing Features LightSensor™ Technology Service and Warra Limited Warranty Term Channel Coverage Color System Number of Tuners (Analog) Number of Tuners (Digital) Tuner (Cable) Tuner (Terrestrial) TV System (Analog) TV System (Digital)	Yes anty Information 1 Year Parts / 1 Year Labor VHF: 2-13, UHF: 14-69, CATV: 1-135 NTSC 1 1 Clear QAM ATSC
Spacing Compatible Sensing Features LightSensor™ Technology Service and Warran Limited Warranty TV System Channel Coverage Color System Number of Tuners (Analog) Number of Tuners (Digital) Tuner (Cable) Tuner (Terrestrial) TV System (Analog)	Yes Canty Information 1 Year Parts / 1 Year Labor VHF: 2-13, UHF: 14-69, CATV: 1-135 NTSC 1 1 Clear QAM ATSC M
Spacing Compatible Sensing Features LightSensor™ Technology Service and Warra Limited Warranty Term Channel Coverage Color System Number of Tuners (Analog) Number of Tuners (Digital) Tuner (Cable) Tuner (Terrestrial) TV System (Analog) TV System (Digital)	Yes Canty Information 1 Year Parts / 1 Year Labor VHF: 2-13, UHF: 14-69, CATV: 1-135 NTSC 1 1 Clear QAM ATSC M
Spacing Compatible Sensing Features LightSensor™ Technology Service and Warranty Term TV System Channel Coverage Color System Number of Tuners (Analog) Tuner (Cable) Tuner (Terrestrial) Tuner (Terrestrial) TV System (Analog) TV System (Digital) Video Features 24p True Cinema™ Technology	Yes Conty Information 1 Year Parts / 1 Year Labor VHF: 2-13, UHF: 14-69, CATV: 1-135 NTSC 1 1 Clear QAM ATSC M ATSC
Spacing Compatible Sensing Features LightSensor™ Technology Service and Warra Limited Warranty TV System Channel Coverage Color System Number of Tuners (Analog) Tuner (Cable) Tuner (Terrestrial) Tuner (Terrestrial) TV System (Analog) TV System (Digital) Video Features 24p True Cinema™ Echnology	Yes Canty Information 1 Year Parts / 1 Year Labor VHF: 2-13, UHF: 14-69, CATV: 1-135 NTSC 1 1 Clear QAM ATSC M ATSC Yes

Advanced Contrast Enhancer (ACE)	Yes
Auto Wide	Yes
CineMotion® Reverse 3:2 Pulldown Technology	Yes
Digital Noise Reduction	Yes
Live Color™ Technology	Yes
MPEG Noise Reduction	Yes
Picture Mode	Cinema, Game- Original, Game- Standard, Graphics, Photo-Custom, Photo-Original, Photo- Standard, Photo-Vivid, Sports, Standard, Vivid
Wide Mode	Full, Normal, Wide Zoom, Zoom, Caption, Normal/Full1/Full2 for PC
Dimensions (App	rox.)
Dimensions (App Dimensions (Approx.)	31 1/2 x 19 5/8 x 3 5/8" (800 x 496 x 91mm) without stand; 31 /2 x 20 7/8 x 8 3/4" (800 x 528 x 220mm) with stand
Dimensions	31 1/2 x 19 5/8 x 3 5/8" (800 x 496 x 91mm) without stand; 31 1/2 x 20 7/8 x 8 3/4" (800 x 528 x 220mm) with stand
Dimensions (Approx.)	31 1/2 x 19 5/8 x 3 5/8" (800 x 496 x 91mm) without stand; 31 1/2 x 20 7/8 x 8 3/4" (800 x 528 x 220mm) with stand
Dimensions (Approx.) Weights and Mec Packaging	31 1/2 x 19 5/8 x 3 5/8" (800 x 496 x 91mm) without stand; 31 1/2 x 20 7/8 x 8 3/4" (800 x 528 x 220mm) with stand osurements 34 7/8 x 23 x 7 1/4" (884 x 584 x 182mm); 28.7 lbs
Dimensions (Approx.) Weights and Med Packaging (Approx.)	31 1/2 x 19 5/8 x 3 5/8" (800 x 496 x 91mm) without stand; 31 1/2 x 20 7/8 x 8 3/4" (800 x 528 x 220mm) with stand osurements 34 7/8 x 23 x 7 1/4" (884 x 584 x 182mm); 28.7 lbs (13Kg) 20.1 lbs (9.1 Kg) without stand; 23.6 lbs (10.7 Kg)
Dimensions (Approx.) Weights and Med Packaging (Approx.) Weight (Approx.)	31 1/2 x 19 5/8 x 3 5/8" (800 x 496 x 91mm) without stand; 31 1/2 x 20 7/8 x 8 3/4" (800 x 528 x 220mm) with stand osurements 34 7/8 x 23 x 7 1/4" (884 x 584 x 182mm); 28.7 lbs (13Kg) 20.1 lbs (9.1 Kg) without stand; 23.6 lbs (10.7 Kg)
Dimensions (Approx.) Weights and Mea Packaging (Approx.) Weight (Approx.) Accessories	31 1/2 x 19 5/8 x 3 5/8" (800 x 496 x 91mm) without stand; 31 1/2 x 20 7/8 x 8 3/4" (800 x 528 x 220mm) with stand surements 34 7/8 x 23 x 7 1/4" (884 x 584 x 182mm); 28.7 lbs (13Kg) 20.1 lbs (9.1 Kg) without stand; 23.6 lbs (10.7 Kg) with stand Remote Control (RM- YD065) AC Power Cord (attached) Table Top Stand (separate, assembly



© 2011 Sony Electronics Inc. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Sony BRAVIA, BRAVIA Sync, and LightSensor are trademarks of Sony. All other trademarks are trademarks of their respective owners. Features and specifications are subject to change without notice. Non-metric weights and measures are approximate and may vary. /Updated: November 3, 2011