

X420PV-F120 Pink LCD HDTV



Feature

- 42" Pink LCD Full HDTV
- Max Supported Res. 1920 x 1080
- All-in-One ATSC/NTSC/QAM Tuner
- 1080P Full HDTV 4 X HDMI v1.3
- 1080P thru HDMI & Component
- 16,000:1 Dynamic Contrast

Product Overview

Enhance your home theater experience with the X420PV-F120 42" LCD TV. Featuring 1080P, 16,000:1 dynamic ratio, 4 HDMI, and a 5.1 Digital Audio Output for a complete entertainment experience. With TruMotion 120Hz helps double the video frames from 60-120 per second to reduce motion blur caused by action scenes. The elegant frame Pink finish is great match for your everyday home décor, especially in the living room, dining room, and kitchen.



X420PV-F120 LCD HDTV

LCD PANEL

Active Screen Size	42.02"
Aspect Ratio	16:9 Wide Screen
Brightness	500 cd/m ²
Contrast Ratio	16,000:1 Dynamic/ 4000:1 Typical
Resolution	1920 x 1080
Response Time	4 ms
Colors	16.7 million
Lamp Life	> 50,000 hours
Viewing Angle	178° (horizontal) / 178° (vertical)

FEATURES

On Screen Display Control (OSD)	Picture, Sound, Channel, Parental, Setup, Others
Built-in Tuner	ATSC / NTSC / Clear QAM
Auto Dynamic Contrast Enhancement	Yes
3D Comb Filter	Yes
Noise Reduction	Yes
MPEG Noise Reduction	Yes
Built-in speakers	10 watts per Channel x 2
Surround Mode	Yes
Sound Equalizer Settings	Yes
Auto Volume Level Control	Yes

FEATURES

Tilt Angles	No
Swivel Angles	+/- 30 degree
Height Adjustable	No
Neck & Base Detachable	Yes

INPUTS

HDMI	4
Cable / Antenna Input	1
Component (YPbPr) Input	1
Built-in Tuner	ATSC / NTSC / Clear QAM
VGA	1
Audio In	1
USB Input	1
Composite Video	1

OUTPUTS

SPDIF Audio Output	1 (Coaxial Type)
Analog Audio Output	1 (L + R)
Headphone Output	1



X420PV-F120 LCD HDTV

SIGNAL COMPATIBILITY

HDMI Input Support	1080P, 1080i, 720P, 480P video signal HDCP video up to 1080P
VGA Input Support	1920 x 1080 @ 60Hz (Native & Max) 1024 x 768, 800x600 640x480

DIMENSIONS

TV with stand	40.45" x 9.12" x 27.3"
TV without stand	40.45" x 4.54" x 25.33"
Package Dimensions	43.2" x 11.34" x 32.05"
Net Weight	49 lbs
Gross Weight	62 lbs

REGULATIONS

Certificates	cTUV us, FCC Class B
Compliances	Energy Star V3.0, RoHs,

Power Source

Power Range	110~240V, 50/60 Hz
Power Consumption	<23W (Typical) <1W (Standby)

WALL MOUNT SPECIFICATIONS

Screw Size (mm)	M6 x 14mm
Hole Pattern (mm)	400 X 200