

Philips widescreen flat TV with Pixel Plus 2 HD

42"

LCD HD Ready

42PF7621D

















Turn up your viewing experience

with Pixel Plus 2HD

Experience the superior picture quality of this excellent Flat TV with the latest LCD technology. It's packed into a stunning design that will complement your interior.

Be an eyewitness

- High definition LCD WXGA display, resolution 1366 x 768p
- Integrated Digital Tuner for DVB-T reception
- · HD ready for the highest quality display of HDTV signals
- Pixel Plus 2 HD improves details in standard TV and HDTV
- Digital Natural Motion produces smooth, judder free images
- Active Control with Light Sensor optimises picture quality.

Superb sound reproduction

• Virtual Dolby Surround for a cinema-like audio experience

Slim, stylish design to complement your interior

· Matching stand with elegant design included

For advanced performance

• HDMI for full digital High Definition connection





• Set dimensions (W x H x D):

Set dimensions with stand (H x D):

Optional accessories: Floor stand

VESA wall mount compatible: 800,400 mm

Included accessories: Table top stand, RF cable, Power cord, Quick start guide, Registration

card, Remote control, User manual, Warranty

1237 x 688 x 110 mm

734 x 280 mm

Accessories

Technical specifications

Picture / Display

- Aspect ratio: 16:9
- Brightness: 550 cd/m²
- · Diagonal screen size: 42 inch / 107 cm
- Display screen type: LCD WXGA Active Matrix TFT
- Picture enhancement: Progressive scan, 3D combfilter, Active Control & Light sensor, Digital Natural Motion, Jagged line suppression, Widescreen plus, Pulse Killer Chip, Dynamic contrast enhancement, 3/2 2/2 motion pull down, Pixel Plus 2 HD
- Screen enhancement: Anti reflection coated screen
- Panel resolution: 1366 x 768p
- · Response time (typical): 8 ms
- Dynamic screen contrast: 4000:1
- Viewing angle: 176° (H) / 176° (V)
- Contrast ratio (typical): 800:1

Supported Display Resolution

Computer formats

Refresh rate
60HZ
60HZ
60HZ

Video formats

Resolution	Refresh rate
640 x 480i	l Fh
$640 \times 480p$	2Fh
720 x 576i	l Fh
$720 \times 576p$	2Fh
$1280 \times 720p$	3Fh
1920 x 1080i	2Fh

Sound

- Sound enhancement: Digital signal processing, Dynamic bass enhancement, Graphic equaliser
- · Sound system: Virtual Dolby Digital
- Output power (RMS): 2x15W

Loudspeakers

Built-in speakers: 2

Convenience

 Ease of installation: Auto programme naming, Automatic Channel Install (ACI), Automatic Tuning System (ATS), Auto store, PLL digital tuning, Plug & Play

- Ease of Use: On screen display, Auto volume leveller (AVL), Delta volume per preset, Graphical user interface, Side Control, Program list
- Remote control type: RC4310
- Teletext: 1200 page hypertext
- Teletext enhancements: Habit watch, Program information line
- · Picture in Picture: Text dual screen
- Remote control: Amp, DVD, Sat, VCR, STB, Multi functional
- Screen format adjustments: Auto format, Subtitle and heading shift, Movie expand 14:9, Movie expand 16:9, 4:3, Super Zoom, Widescreen, 6 widescreen modes
- Clock: Smart clock
- Child Protection: Child lock & parental control
- Electronic Programme Guide: Now + Next EPG
- VESA Mount: Vesa compliant

Tuner / Reception / Transmission

- Tuner bands: Hyper band, S channel, UHF, VHF
- TV system: PAL, DVB COFDM 2K/8K, SECAM
- · Video playback: NTSC, PAL, SECAM
- Aerial input: 75 ohm coaxial (IEC75)
- DVB: DVB Terrestrial

Connectivity

- Ext I Scart: Audio L/R, CVBS in/out, RGB
- Ext 2 Scart: Audio L/R, CVBS in/out, RGB
- Ext 4: HDMI
- Ext 5: HDMI
- Other connections: Analogue audio left / right out, S/PDIF out (coaxial), S/PDIF in (coaxial), Common Interface, PC-In VGA
- Front / Side connections: Audio L/R in, CVBS in, Headphone out, S-Video in
- Ext 3: YPbPr

Power

- Power consumption: 246 W
- Standby power consumption: 0.82 W
- Mains power: AC 220 240 V +/- 10%
- Ambient temperature: +5 -/+ 40 C

Dimensions

- Product weight: 31.5 kg
- Weight incl. packaging: 39 kg
- Colour cabinet: High Gloss Black and Black

Rear connectors MAINS EXT 3 COMMON INTERFACE HDMI HDMI ANTENNA **AUDIO OUT** \odot \odot \odot 0 0 Side connectors FXT 2 FXT 1 L AUDIO R S-VIDEO VIDEO USB



Date of issue 2006-07-10

Version: 4.0

12 NC: 8670 000 24215 EAN: 87 10895 98039 5 Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

© 2006 Koninklijke Philips Electronics N.V.

All Rights reserved. www.philips.com



42PF7621D/10

Product highlights

LCD WXGA display, 1366 x 768p

This WXGA display with state-of-the-art LCD screen technology gives you widescreen HD resolution of 1366 x 768p pixels. It produces brilliant flicker-free progressive scan pictures with optimum brightness and superb colours. This vibrant and sharp image will provide you with an enhanced viewing experience.

Integrated Digital DVB-T tuner

The integrated DVB-T tuner lets you receive Digital Terrestrial TV to watch or record. This means you do not need an additional set top box or additional cables.

HD Ready

Enjoy the exceptional picture quality of a true High Definition TV signal and be fully prepared for HD sources like HDTV broadcast, Blu-ray DVD or HDVD. HD ready is a protected label that offers picture quality beyond that of progressive scan. It conforms to strict standards laid out by ElCTA to offer an HD screen that displays the benefits of resolution and picture quality of a High Definition TV signal. It has a universal connection for both analogue YPbPr and uncompressed Digital connection of DVI or HDMI, supporting HDCP. It can display 720p, and 1080i signals at 50 and 60Hz.

Digital Natural Motion

Philips invented Digital Natural Motion to eliminate juddering effects that are visible with moving picture content. Digital Natural Motion estimates motion in the picture and corrects juddering movements in both broadcast and recorded movie material (DVD). The resulting smooth motion reproduction and excellent sharpness take the viewing experience to a higher level.

Active Control and Light Sensor

Active Control is a unique and intelligent way of optimising picture quality by measuring and analysing the incoming signal to automatically adjust picture quality settings. Active Control with Light Sensor uses a sensor to adjust the picture brightness depending on the room light conditions.

Virtual dolby surround

Virtual Dolby Surround is a processing technology for enhancing surround sound effects. It will create the sensation of Dolby Pro Logic without the necessity of additional rear speakers. You become totally immersed in your television experience.

By packed tabletop stand

A table-top stand with matching design is packed with the set

HDMI input

HDMI makes an uncompressed digital RGB connection from the source to the screen. By eliminating any conversion to an analogue signal, it delivers an unblemished image. The non-degraded signal delivers reduced flicker and leads to a clearer picture. HDMI will intelligently communicate the highest output resolution with the source device. The HDMI input is fully backward compatible with DVI sources but includes digital audio. HDMI uses HDCP copy protection.



^{*} DVB-T, supported in selected countries only