

Philips flat HDTV with Pixel Plus 3 HD and Ambilight 2 channel

50"

plasma integrated digital

50PF9631D











Turn up your viewing experience

with Pixel Plus 3 HD and Ambilight 2

Enjoy the ultimate viewing experience with this Philips integrated HDTV with Pixel Plus 3 HD, Ambilight 2 and latest HD Plasma technology. Enjoy your multimedia content with the built in USB connector.

Immersive viewing experience

- High Definition plasma WXGA display, 1366 x 768p
- Enjoy HDTV that's truer than anything you've seen before
- Pixel Plus 3 HD for most vivid and sharp HDTV images
- · 2-channel active Ambilight enhances the viewing experience

True beauty lies in the details

· Matching stand with elegant design included

Perfect picture quality from your digital photos

· USB Connector for easy, instant multimedia playing

For advanced performance

· HDMI for full digital High Definition connection





Technical specifications

Picture/Display

- Aspect ratio: 16:9
- Brightness: 1500 cd/m²
- Contrast ratio (typical): 10000:1
- Viewing angle: 160° (H) / 160° (V)
- Diagonal screen size (inch): 50 inch
- · Display screen type: HD Plasma panel
- Panel resolution: 1366 x 768p
- Picture enhancement: Pixel Plus 3 HD, 3/2 -2/2 motion pull down, 3D Combfilter, Active Control + Light sensor, Digital Crystal Clear, Jagged Line Suppression, Progressive Scan, Widescreen Plus
- Screen enhancement: Anti ageing circuit, Anti-Reflection coated screen

Ambilight

- Ambilight Features: Ambilight 2 Channel, Auto adaptive to video content, Efficient low energy lamp
- · Color Settings: Full Multi Color
- Dimming Function: Manual and via Light Sensor
- · Preset modes: 4 Active Adaptive modes

Supported Display Resolution

Computer formats

 Resolution
 Refresh rate

 640 x 480
 60Hz

 800 x 600
 60Hz

 1024 x 768
 60Hz

Video formats

 Resolution
 Refresh rate

 480i
 60Hz

 480p
 60Hz

 720p
 60Hz

 1080i
 60Hz

Sound

- Output power (RMS): 2x12W
- Sound Enhancement: Digital Signal Processing, Dynamic Bass Enhancement, Graphic Equaliser
- Sound System: Virtual Dolby Digital

Loudspeakers

- Built-in speakers: 2
- · Loudspeaker types: Front Speakers

Multimedia Applications

- Digital Content Management: Digital Media Reader
- Multimedia connections: USB
- Playback Formats: MP3, Slideshow files (.alb), JPEG Still pictures

Tuner/Reception/Transmission

- Aerial Input: 75 ohm F-type
- TV system: ATSC, NTSC
- Video Playback: NTSC
- · Cable: Unscrambled Digital Cable -QAM

Connectivity

- AV 1: (1, 2, 3Fh autoranging), Audio L/R in, Component Video in, CVBS in, RGB+H/V, Y/ C, YPbPr
- AV 2: Audio L/R in, CVBS, Y/C
- AV 3: (1, 2, 3Fh autoranging), S/PDIF digital coaxial, YPbPr
- AV 4: HDMI
- AV 5: HDMI
- Front / Side connections: Audio L/R in, CVBS in, Headphone out, S-video in, USB
- Other connections: Monitor out, CVBS, L/R (cinch), S/PDIF in (coaxial), S/PDIF out (coaxial)

Convenience

- Child Protection: Child Lock+Parental Control
- Clock: Smart Clock
- Ease of Installation: Auto Programme Naming, Automatic Tuning System (ATS), Autostore, PLL Digital Tuning, Plug & Play
- Ease of Use: Auto Volume Leveller (AVL), Channel list, Delta Volume per preset, Graphical User Interface, On Screen Display, Side Control, Smart Picture Control, Smart Sound Control
- Picture in Picture: HDMI-Component PIP

Remote Control: Amp, DVD, STB, VCR, Multifunctional

Remote control type: RC4403

50PF9631D/37

- Screen Format Adjustments: 4:3, 6 Widescreen Modes, Auto Format, Movie expand 14:9, Movie expand 16:9, Subtitle and Heading Shift, Subtitle Zoom, Super Zoom, Widescreen
- Teletext: Closed Captioning Full Text
- VESA Mount: Vesa compliant

Accessories


· Included Accessories: Table top stand, RF cable

Dimensions

- Set dimensions in inch (W x H x D): 52.3 x 35.7 x 4.5 inch
- Set dimensions with stand in inch (W \times H \times D): 52.3 \times 38.3 \times 12.6 inch
- Weight incl. Packaging (lb): 183.9 lb
- Product weight (lb): 125.2 lb
- Box dimensions in inch (W x H x D): 55.6 x 48.1 x 13.9 inch
- · Color cabinet: Black and Silver
- VESA wall mount compatible: 600,200 mm

Power

- Ambient temperature: 5 °C to 40 °C
- Mains power: AC 110 240 V +/- 10%
- Power consumption: 400 W
- Standby power consumption: 0.8W





Date of issue 2006-09-05

Version: 8.0

12 NC: 8670 000 23433 UPC: 6 09585 11382 4 Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

© 2006 Koninklijke Philips Electronics N.V.

All Rights reserved.

www.philips.com

flat HDTV with Pixel Plus 3 HD and Ambilight 2 channel 50" plasma integrated digital





50PF9631D/37

Product highlights

Plasma WXGA panel, 1366 x 768p

This state-of-the-art plasma screen technology gives you widescreen HD resolution of up to 1366 x 768p pixels. It produces brilliant flicker-free progressive scan pictures in with optimum brightness and superb colors. This vibrant and sharp image will provide you with an enhanced viewing experience.

HDTV

HDTV delivers exceptional picture quality and real movieviewing experience that makes television more dynamic, truer than anything you've seen before. It is the latest and best television signal available. It features picture quality more than twice that of traditional analog broadcasts. In order to effectively maximize the HDTV signal, a television must incorporate advanced signal input connectivity and circuitry design. To use HDTV the TV must be connected via its Component Video, DVI or HDMI inputs to a DTV set-top box and set to operate in the DTV mode.

Pixel Plus 3 HD

Pixel Plus 3 HD offers the unique combination of ultimate sharpness, natural detail, vivid colors and smooth natural motion on all qualities of HD, standard TV signals and multimedia content, for high definition displays. Each pixel of the incoming picture is enhanced to better match the surrounding pixels, resulting in a more natural picture. Artifacts and noise in all sources from multimedia to standard TV and also in highly compressed HD are detected and reduced ensuring that the picture is clean and razor sharp.

Ambilight 2 channel

Ambilight makes an impressive contribution to the overall viewing experience by producing ambient light to complement the colors and light intensity of the on-screen image. It adds a new dimension to the viewing experience, completely immersing you into the content you are watching. It creates ambiance, stimulates more relaxed viewing, and improves perceived picture detail, contrast and color. Ambilight automatically and independently adapts its colors according to the changing content on the screen.

Bypacked tabletop stand

A table-top stand with matching design is packed with the

USB Multimedia Connector

The USB connector allows access to multimedia jpg, mp3, mp3-pro and alb files of most USB-sticks and most digital cameras (USB 1.1 memory-class device). Plug the USB into the slot at the side of the TV and access your photos or music files. This makes you easily viewing and sharing your photos and music.

HDMI input

HDMI makes an uncompressed digital RGB connection from the source to the screen. By eliminating conversion to an analog signal, it delivers an unblemished image. The non-degraded signal reduces flicker and leads to a clearer picture. HDMI intelligently communicates the highest output resolution with the source device. The HDMI input is fully backward compatible with DVI sources but includes digital audio. HDMI uses HDCP copy protection.