Full HD 1080p Displays





Desirable $A V A M O^{TM}$

Introducing AVIAMOTM 1080p Displays from Fujitsu. This line of high-definition flat-panel sets combines aesthetic elegance and refinement with today's most advanced image-enhancing capabilities. With its rich contours and stylish cosmetics designs, the AVIAMOTM line-up would feel right at home in a modern-art museum; and with its leading-edge $\land \checkmark \backsim \blacksquare$ (Advanced Video Movement III) image processing, AVIAMO displays redefine flat-panel picture quality. $\land \checkmark \twoheadleftarrow$ 1080p processing is integrated into every image these sets accept and reproduce. From signal capture to onscreen display, from both current video sources and future high-definition formats, image quality is as good as it gets!

AVM 1080p Digital Video Processing at its Finest

Advanced Color Management Digitally enhances primary hues so they appear more natural and vivid.



Mosquito Noise Reduction

Identifies and eliminates random specks and dots, known as mosquito noise, often seen at the edges of high-contrasting image elements in digital moving pictures.



3D Noise Reduction

Masks the noise and dropouts that often plague analog-sourced content, such as TV, cinemabased DVD, and legacy home video formats such as VHS, laserdisc, and 8mm.




Image Adaptive Processing

Images from upconverted and interlaced signals may have jagged edges — remnants of the deinterlacing all digital displays require. $A_{V} = \mathbb{Z}$ removes the jagged edges and flicker from these images.



Block Noise Reduction Smoothes over the block-shaped artifacts often seen in today's heavily compressed cable, satellite and DVD content.



Automatic Edge Correction $A \searrow \mathbb{Z}$ identifies the edges of image elements, and applies edge correction to clarify the elements' boundaries — so they look clear, crisp and natural.





Glamorous



- 1080p High Resolution
- Digital Cable Ready (DCR) Tuner
- Advanced IEEE1394 Connectivity
 - 1.07 Billion Colors
 - Dual HDMI Inputs





A√m I Digital Video Processing

- TV Guide On Screen[®] Program Guide
 - 3-Year Inclusive Warranty
 - CableCARD[™] Slot
 - Sleek and Stylish Design

Pairing Supreme Technology with Convenience

Built-in DCR[™] Tuner & CableCARD[™] Slot



Experience digital cable and HDTV without a separate set top box. View hi-definition programming in a clutter-free environment by using the built-in CableCARD[™] slot.

TV GUIDE The TV Guide On Screen[®] interactive program guide lets you sort through programs and channels, locate



high-definition broadcasts, and set reminders all with a touch of the remote control.

HDMI Connectivity


All AVIAMO[™] Displays feature two High Definition Multimedia Interface (HDMI) inputs, enabling true high-definition audio/ video content and crystal-clear digital quality through a single cable.

Advanced IEEE 1394 Connection IEEE 1394 is a high-speed standard interface between digital audio video equipment that allows you to control all of your 1394-equipped devices using your AVIAMO[™] remote control.

Designed to Perfection As envisioned by renowned Japanese artist and designer, Mr. Shigeru Uchida, Fujitsu's all-aluminum AVIAMO™ display bezel is an elegant departure from conventional plastic display frames. Most striking is the rich jet-black lacquer finish, which highlights striking angles and masterful joinery.



AVIAMO[™] makes a design statement worlds apart from conventional displays.



Aspect Ratio Control

Memory Mode Settings

AVIAMO[™] HDTVs let you store up to 8

Choose among many aspect ratio positions for optimum viewing, including Normal, Wide, Zoom, and True Signal.



Remote Control


Fujitsu's back-lit AVIAMO™ remote conveniently gives you the power to change channels and volume, access the TV GUIDE, change aspect ratios and more - all at your fingertips.

Sp Μ

				ΟP
Specifications				
Model	P37FT05AUB	P50FT00AUB	P65FT00AUB	
Screen Size (Diagonal)	37"	50"	65"	
Screen Dimensions (WxH) in.	32-1/4 x 18-1/8	43-1/2 x 24-1/2	56-7/16 x 31-3/4	
Set Dimensions (WxHxD) in.	36 x 26-3/16 x 9-1/16	49 x 29-11/16 x 6-13/16*	62-11/16 x 38-3/16 x 6-13/16*	
Weight (lbs)	79.4	105.8	167.6	
Pixel Count		1920 x 1080		
Terminals	Antenna x 1, Cable 1: F-type connector RGB x 1: mD-Sub 15 pin Video x 1, S-video x 1, Component x 2, HDMI x 2, IEEE1394 x 2 Analog Audio Input x 3(L/R), Analog Audio out x 1(L/R), Optical Audio Out x 1			1
Control	RS-232C x 1: D-Sub 9 pin			
Speakers	12-Watt Stereo Non-detachable speaker integrated into base of unit	Max. output: 1	Amplification; 12W + 12W, 4 ohm 1 party accessory speakers	— Wa
TV Mode	NTSC, ATSC			
RGB Mode	VGA, VGA text, WVGA, SVGA, XGA, WXGA, SXGA			
Component Mode	SDTV 480i, 480p / HDTV 720p, 1080i			ļ
HDMI Mode	SDTV 480i, 480p / HDTV 720p, 1080i, 1080p			- 🔨
Power Source	120V, AC 50/60 Hz			
Language (OSD)	English, Spanish, French			
Included Accessories	User's manuals, 1 power cable, 1 remote control			
Optional Accessories* Wall Bracket Desk Stand	Integrated into base of set	Р-50AVI-В Р-ТТ5000-В	P-65AVI-B P-TT6500-B	A

*Depth of panel is 3-15/16 inches. Tuner box adds an additional 2-7/8 inches. * For the latest optional accessory information, please go to www.plasmavision.com. Specifications are subject to change without notice for further improvement.

Input / Output Array



Copyright © Fujitsu General America, Inc., 2007. AVIAMO™ is a registered trademark of Fujitsu General Limited. CableCARD™ is a trademark of Cable Television Laboratories, Inc.. FUMI, the HUMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC. The DCR logo is a registered trademark of the Consumer Electronics Association and Cable Television Laboratories, Inc. In the U.S., TV Guide and other related marks are registered marks of Genstar TV Guide International, Inc. and/to rone of its affiliates

P50FT00AUB	P65FT00AUB			

Wall Mount Bracket P-65AVI-B Adds 1-11/16" to panel depth

Desktop Stand P-TT5000-B Adds 1" to panel height

Wall Bracket P-50AVI-B

Adds 1-7/16" to panel depth

Optional Accessories

Desktop Stand P-TT6500-B Adds 1-1/16" to panel height

arranty



Enjoy peace of mind with Fujitsu's exclusive 3-year warranty that covers Parts, Labor and the Display Panel Glass Element.





Fujitsu General America, Inc. • 353 Route 46 West • Fairfield, NJ 07004 Tel: (888) 888-3424 Local: (973) 575-0380 • Fax: (973) 836-0448 www.plasmavision.com