LC-32LE700UN

LIQUID CRYSTAL TELEVISION

ENGLISH

OPERATION MANUAL

IMPORTANT:


To aid reporting in case of loss or theft, please record the TV's model and serial numbers in the space provided. The numbers are located at the rear of the TV.

Model No .:

Serial No.:

IMPORTANT INFORMATION

WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS PRODUCT TO RAIN OR MOISTURE.



The lightning flash with arrow-head symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.



The exclamation point within a triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the product.

CAUTION: TO PREVENT ELECTRIC SHOCK, MATCH WIDE BLADE OF PLUG TO WIDE SLOT, FULLY INSERT.

IMPORTANT INFORMATION

WARNING: FCC Regulations state that any unauthorized changes or modifications to this equipment not expressly approved by the manufacturer could void the user's authority to operate this equipment.

CAUTION:

This product satisfies FCC regulations when shielded cables and connectors are used to connect the unit to other equipment. To prevent electromagnetic interference with electric appliances such as radios and televisions, use shielded cables and connectors for connections.

DECLARATION OF CONFORMITY:

SHARP LIQUID CRYSTAL TELEVISION, MODEL LC-32LE700UN

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RESPONSIBLE PARTY:

SHARP ELECTRONICS CORPORATION

- Sharp Plaza, Mahwah, New Jersey 07495-1163
- TEL: 1-800-BE-SHARP

For Business Customers: URL http://www.sharpusa.com

INFORMATION:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

"Note to CATV system installer: This reminder is provided to call the CATV system installer's attention to Article 820-40 of the National Electrical Code that provides guidelines for proper grounding and, in particular, specifies that the cable ground shall be connected to the grounding system of the building, as close to the point of cable entry as practical."

Trademarks

- Manufactured under license from Dolby Laboratories. "Dolby" and the double-D symbol are trademarks of Dolby Laboratories.
- "HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC."
- Products that have earned the ENERGY STAR[®] are designed to protect the environment through superior energy
 efficiency.
- LCフォント、LCFONT、エルシーフォント and LC logo mark are registered trademarks of SHARP Corporation. This product is embedded with LC Font technology, which was developed by SHARP Corporation for clearly displaying easy-to-read characters on LCD screens. However, other fonts are used for some screen pages, too.

DEAR SHARP CUSTOMER

Thank you for your purchase of the Sharp Liquid Crystal Television. To ensure safety and many years of trouble-free operation of your product, please read the Important Safety Instructions carefully before using this product.

IMPORTANT SAFETY INSTRUCTIONS

Electricity is used to perform many useful functions, but it can also cause personal injuries and property damage if improperly handled. This product has been engineered and manufactured with the highest priority on safety. However, improper use can result in electric shock and/or fire. In order to prevent potential danger, please observe the following instructions when installing, operating and cleaning the product. To ensure your safety and prolong the service life of your Liquid Crystal Television, please read the following precautions carefully before using the product.

- 1) Read these instructions.
- 2) Keep these instructions.
- 3) Heed all warnings.
- 4) Follow all instructions.
- 5) Do not use this apparatus near water.
- 6) Clean only with dry cloth.
- 7) Do not block any ventilation openings. Install in accordance with the manufacturer's instructions.
- Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- 9) Do not defeat the safety purpose of the polarized or grounding-type plug. A polarized plug has two blades with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. If the provided plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet.
- Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.
- 11) Only use attachments/accessories specified by the manufacturer.
- 12) Use only with the cart, stand, tripod, bracket, or table specified by the manufacturer, or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.



- 13) Unplug this apparatus during lightning storms or when unused for long periods of time.
- 14) Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.

Additional Safety Information

- 15) Power Sources—This product should be operated only from the type of power source indicated on the marking label. If you are not sure of the type of power supply to your home, consult your product dealer or local power company. For products intended to operate from battery power, or other sources, refer to the operating instructions.
- 16) Overloading Do not overload wall outlets, extension cords, or integral convenience receptacles as this can result in a risk of fire or electric shock.
- 17) Object and Liquid Entry—Never push objects of any kind into this product through openings as they may touch dangerous voltage points or short-out parts that could result in a fire or electric shock. Never spill liquid of any kind on the product.
- Damage Requiring Service Unplug this product from the wall outlet and refer servicing to qualified service personnel under the following conditions:
 - a) When the AC cord or plug is damaged,
 - b) If liquid has been spilled, or objects have fallen into the product,
 - c) If the product has been exposed to rain or water,
 - d) If the product does not operate normally by following the operating instructions. Adjust only those controls that are covered by the operating instructions as an improper adjustment of other controls may result in damage and will often require extensive work by a qualified technician to restore the product to its normal operation,
 - e) If the product has been dropped or damaged in any way, and
 - f) When the product exhibits a distinct change in performance this indicates a need for service.
- 19) Replacement Parts When replacement parts are required, be sure the service technician has used replacement parts specified by the manufacturer or have the same characteristics as the original part. Unauthorized substitutions may result in fire, electric shock, or other hazards.
- 20) Safety Check—Upon completion of any service or repairs to this product, ask the service technician to perform safety checks to determine that the product is in proper operating condition.
- 21) Wall or ceiling mounting When mounting the product on a wall or ceiling, be sure to install the product according to the method recommended by the manufacturer.

IMPORTANT SAFETY INSTRUCTIONS

• Outdoor Antenna Grounding - If an outside antenna is EXAMPLE OF ANTENNA GROUNDING AS PER NATIONAL ELECTRICAL CODE, ANSI/NFPA 70 connected to the television equipment, be sure the antenna system is grounded so as to provide some protection against ANTENNA voltage surges and built-up static charges. LEAD IN WIRE Article 810 of the National Electrical Code, ANSI/NFPA 70. provides information with regard to proper grounding of the GROUND mast and supporting structure, grounding of the lead-in wire ANTENNA CLAMP to an antenna discharge unit. size of grounding conductors. DISCHARGE UNIT (NEC SECTION 810-20) location of antenna-discharge unit, connection to grounding electrodes, and requirements for the grounding electrode. ELECTRIC SERVICE GROUNDING EQUIPMENT CONDUCTORS (NEC SECTION 810-21) GROUND CLAMPS POWER SERVICE GROUNDING ELECTRODE SYSTEM (NEC ART 250, PART H) NEC - NATIONAL ELECTRICAL CODE

- Turn off the main power and unplug the AC cord from the wall outlet before handling.
- Use a soft cloth and gently wipe the surface of the display panel. Using a hard cloth may scratch the panel surface.
- Use a soft damp cloth to gently wipe the panel when it is really dirty. (It may scratch the panel surface when wiped strongly.)
- If the panel is dusty, use an anti-static brush, which is commercially available, to clean it.
- To protect the panel, do not use a dirty cloth, liquid cleaners or chemical cloth to clean it, such materials may damage the panel surface.
- To clean the outer cabinet, use the same method. Do not use liquid or aerosol cleaners.
- Water and Moisture Do not use this product near water for example, near a bath tub, wash bowl, kitchen sink, or laundry tub; in a wet basement; or near a swimming pool; and the like.
- Stand Do not place the product on an unstable cart, stand, tripod or table. Placing the product on an unstable base
 can cause the product to fall, resulting in serious personal injuries as well as damage to the product. Use only a cart,
 stand, tripod, bracket or table recommended by the manufacturer or sold with the product. When mounting the product
 on a wall, be sure to follow the manufacturer's instructions. Use only the mounting hardware recommended by the
 manufacturer.
- Selecting the location Select a place with no direct sunlight and good ventilation.
- Ventilation The vents and other openings in the cabinet are designed for ventilation. Do not cover or block these vents and openings since insufficient ventilation can cause overheating and/or shorten the life of the product. Do not place the product on a bed, sofa, rug or other similar surface, since they can block ventilation openings. This product is not designed for built-in installation; do not place the product in an enclosed place such as a bookcase or rack, unless proper ventilation is provided or the manufacturer's instructions are followed.
- The Liquid Crystal panel used in this product is made of glass. Therefore, it can break when the product is dropped or applied with impact. Be careful not to be injured by broken glass pieces in case the panel breaks.
- Heat The product should be situated away from heat sources such as radiators, heat registers, stoves, or other
 products (including amplifiers) that produce heat.
- The Liquid Crystal panel is a very high technology product with 2,073,600 pixels, giving you fine picture details.
 Occasionally, a few non-active pixels may appear on the screen as a fixed point of blue, green or red. Please note that this does not affect the performance of your product.
- Lightning For added protection for this television equipment during a lightning storm, or when it is left unattended and unused for long periods of time, unplug it from the wall outlet and disconnect the antenna. This will prevent damage to the equipment due to lightning and power-line surges.
- Power Lines An outside antenna system should not be located in the vicinity of overhead power lines or other electric light or power circuits, or where it can fall into such power lines or circuits. When installing an outside antenna system, extreme care should be taken to keep from touching such power lines or circuits as contact with them might be fatal.
- To prevent fire, never place any type of candle or flames on the top or near the TV set.
- To prevent fire or shock hazard, do not place the AC cord under the TV set or other heavy items.
- Do not display a still picture for a long time, as this could cause an afterimage to remain.
- To prevent fire or shock hazard, do not expose this product to dripping or splashing. No objects filled with liquids, such as vases, should be placed on the product.
- Do not insert foreign objects into the product. Inserting objects in the air vents or other openings may result in fire or electric shock. Exercise special caution when using the product around children.

Precautions when transporting the TV

• When transporting the TV, never carry it by holding or otherwise putting pressure onto the display. Be sure to always carry the TV by two people holding it with two hands — one hand on each side of the TV.



IMPORTANT SAFETY INSTRUCTIONS

CHILD SAFETY: It Makes A Difference How and Where You Use Your Flat Panel Display

Congratulations on your purchase! As you enjoy your new product, please keep these safety tips in mind:



THE ISSUE

- The home theater entertainment experience is a growing trend and larger flat panel displays are popular purchases. However, flat panel displays are not always supported on the proper stands or installed according to the manufacturer's recommendations.
- Flat panel displays that are inappropriately situated on dressers, bookcases, shelves, desks, speakers, chests or carts may fall over and cause injury.

THIS MANUFACTURER CARES!

• The consumer electronics industry is committed to making home entertainment enjoyable and safe.

TUNE INTO SAFETY

- One size does NOT fit all. Follow the manufacturer's recommendations for the safe installation and use of your flat panel display.
- Carefully read and understand all enclosed instructions for proper use of this product.
- Don't allow children to climb on or play with furniture and television sets.
- Don't place flat panel displays on furniture that can easily be used as steps, such as a chest of drawers.
- Remember that children can become excited while watching a program, especially
 on a "larger than life" flat panel display. Care should be taken to place or install the
 display where it cannot be pushed, pulled over, or knocked down.
- Care should be taken to route all cords and cables connected to the flat panel display so that they cannot be pulled or grabbed by curious children.

WALL MOUNTING: IF YOU DECIDE TO WALL MOUNT YOUR FLAT PANEL DISPLAY, ALWAYS:

- Use a mount that has been recommended by the display manufacturer and/or listed by an independent laboratory (such as UL, CSA, ETL).
- Follow all instructions supplied by the display and wall mount manufacturers.
- If you have any doubts about your ability to safely install your flat panel display, contact your retailer about professional installation.
- Make sure that the wall where you are mounting the display is appropriate. Some wall mounts are not designed to be mounted to walls with steel studs or old cinder block construction. If you are unsure, contact a professional installer.
- A minimum of two people are required for installation. Flat panel displays can be heavy.






Note: CEA is the preeminent trade association promoting growth in the \$161 billion U.S. consumer electronics industry. More than 2,200 companies enjoy the benefits of CEA membership, including legislative advocacy, market research, technical training and education, industry promotion and the fostering of business and strategic relationships.

Supplied Accessories

Make sure the following accessories are provided with the product.



NOTE

- Always use the AC cord supplied with the TV.
- The illustrations above are for explanation purposes and may vary slightly from the actual accessories.
- To avoid scratching the frame or screen, please use a soft, lint free cloth for cleaning. Approved cleaning cloths are available directly from Sharp in single (00Z-LCD-CLOTH) or triple (00Z-LCD-CLOTH-3) packs. Call 1-800-BE-SHARP for ordering, or VISIT www.sharpusa.com/SharpDirect.

QUICK REFERENCE

Attaching the Stand


- Before attaching (or detaching) the stand, unplug the AC cord from the AC INPUT terminal.
- Before performing work spread cushioning over the base area to lay the TV on. This will prevent it from being damaged.

CAUTION


- Attach the stand in the correct direction.
- Do not remove the stand from the TV unless using an optional wall mount bracket to mount it.
- Be sure to follow the instructions. Incorrect installation of the stand may result in the TV falling over.
- 1 Confirm that there are 12 screws (all the same size) supplied with the stand unit.



- 2 ① Set the post for the stand unit onto the box.
 - ② Attach the base to the post.
 - ③ Insert and tighten the 8 screws into the 8 holes on the bottom of the base.
 - Hold the stand unit securely with one hand, and then tighten the screws.



- **3** ① Insert the stand into the openings on the bottom of the TV.
 - (2) Insert and tighten the 4 screws into the 4 holes on the rear of the TV.




NOTE

• To detach the stand, perform the steps in reverse order.

QUICK REFERENCE

QUICK INSTALLATION TIPS


- 1 Attach your antenna to the back of the television. (See page 8.)
- **2** Connect the AC plug for the television into the AC outlet.




 Place the TV close to the AC outlet, and keep the power plug within reach.

NOTE


- TO PREVENT RISK OF ELECTRIC SHOCK, DO NOT TOUCH UN-INSULATED PARTS OF ANY CABLES WITH THE AC CORD CONNECTED.
- **3** Bundle the cords properly with the cable clamp.



4 How to turn on the television for the first time.A) Press **POWER** on the television.



B) The POWER indicator on the front of the television lights GREEN.




POWER indicator

NOTE

- Speakers cannot be detached from the TV.
- TV angle cannot be adjusted.

Using the Remote Control Unit

Use the remote control unit by pointing it towards the remote control sensor on the TV. Objects between the remote control unit and the remote control sensor may prevent proper operation.



■ Cautions regarding the remote control unit

- Do not expose the remote control unit to shock. In addition, do not expose the remote control unit to liquids, and do not place in an area with high humidity.
- Do not install or place the remote control unit under direct sunlight. The heat may cause deformation of the remote control unit.
- The remote control unit may not work properly if the remote control sensor on the TV is under direct sunlight or strong lighting. In such cases, change the angle of the lighting or the TV, or operate the remote control unit closer to the remote control sensor.



IMPORTANT:

The POWER indicator on the television should light GREEN indicating you have power to the television.

If the POWER indicator on the television still does not light up, press **TV POWER** on the remote control to turn the power on.

IMPORTANT:


IF THE UNIT DOES NOT POWER ON - UNPLUG THE TELEVISION FROM THE OUTLET AND REPEAT THE INSTALLATION STEPS.

IF YOU STILL ENCOUNTER NO POWER, PLEASE CONTACT US AT 1-800-BE-SHARP.

Preparation

Antennas

To enjoy a clearer picture, use an outdoor antenna. The following is a brief explanation of the types of connections that are used for a coaxial cable. If your outdoor antenna uses a 75-ohm coaxial cable with an F-type connector, plug it into the antenna terminal at the rear of the TV set.



Installing Batteries in the Remote Control Unit

If the remote control fails to operate TV functions, replace the batteries in the remote control unit.

- **1** Open the battery cover.
- 2 Insert two "AAA" size batteries (supplied with the product).



- Place the batteries with their terminals corresponding to the (+) and (-) indications in the battery compartment.
- **3** Close the battery cover.



CAUTION

Improper use of batteries can result in chemical leakage or explosion. Be sure to follow the instructions below.

- Do not mix batteries of different types. Different types of batteries have different characteristics.
- Do not mix old and new batteries. Mixing old and new batteries can shorten the life of new batteries or cause chemical leakage in old batteries.
- Remove batteries as soon as they are worn out. Chemicals that leak from batteries that come in contact with skin can cause a rash. If you find any chemical leakage, wipe thoroughly with a cloth.
- The batteries supplied with this product may have a shorter life expectancy due to storage conditions.
- If you will not be using the remote control unit for an extended period of time, remove batteries from it.

Contents

IMPORTANT INFORMATION1Trademarks2DEAR SHARP CUSTOMER3IMPORTANT SAFETY INSTRUCTIONS3-5
Supplied Accessories 6
QUICK REFERENCEAttaching the Stand6QUICK INSTALLATION TIPS7Using the Remote Control Unit7
Preparation Antennas
Part Names TV (Front)
Connecting to External Equipment Connecting Audiovisual Equipment
Watching TV Turning On/Off the Power 14 Initial Setup. 14
Direct Button OperationChanging Channels15Changing Volume15MUTE15Sleep Timer15FLASHBACK15SURROUND15FREEZE15INPUT15AV MODE16AUDIO16POWER SAVING17Closed Captions and17Digital Closed Captions17VIEW MODE18

On-Screen Display Menu

On-Screen Display Menu Operation 19
Menu Operation Buttons 19
Menu Items 20
Picture Menu
Audio Menu 23
Power Control Menu 23
Setup Menu24-27
Option Menu
Digital Setup Menu 30-31

Other Viewing Options

Presetting Remote Control Function	32
Operating the Connected Equipment	32

Using AQUOS LINK

Controlling HDMI Equipment	
Using AQUOS LINK	34-36
AQUOS LINK Menu	

Using a PC

Connecting a PC	38
Displaying a PC Image on the Screen	39
Adjusting the PC Image	40
Setting Audio Input	40
PC Compatibility Chart	40
RS-232C Port Specifications	41


Appendix

Calling for Service	
This Product	. 45
Information on the Software License for	
Optional Accessory	. 44
Specifications	. 44
Troubleshooting-Digital Broadcasting	. 43
Troubleshooting	. 43
Setting the TV on the Wall	
Removing the Stand	. 42

Dimensional Drawings

• The dimensional drawings for the LCD TV set are shown on the inside back cover.

Part Names



*1 See pages 12, 13, 34 and 38 for external equipment connection.

*2 See page 19 for button operations.


*3 See page 7 for connecting the AC cord.

*4 See page 40 for details on the PC Audio Select function.

NOTE

• The illustrations in this operation manual are for explanation purposes and may vary slightly from the actual operations.

Remote Control Unit





NOTE

• When using the remote control unit, point it at the TV.

- 1 TV POWER: Switch the TV power on or enter standby. (See page 14.)
- 2 **DISPLAY:** Display the channel information.
- **3 SOURCE POWER:** Turns the power of the external equipment on and off.
- 4 External equipment operational buttons: Operate the external equipment.
- **5 0–9:** Set the channel. (See page 15.)
- 6 (DOT): (See pages 15 and 32.)
- 7 INPUT: Select a TV input source. (TV, INPUT 1, INPUT 2, INPUT 3, INPUT 4, INPUT 5, INPUT 6, INPUT 7, INPUT 8) (See page 15.)
- 8 VOL+/-: Set the volume. (See page 15.)
- 9 POWER SAVING: Select Power Saving settings. (See page 17.)
- 10 FREEZE: Set the still image. Press again to return to normal screen. (See page 15.)
- 11 EXIT: Turn off the menu screen.
- 12 OPTION: Display the AQUOS LINK MENU screen. This button will function only when AQUOS LINK is used. (See pages 34 to 37 for details.)
- 13 REC STOP: Stops one touch recording. This button will function only when AQUOS LINK is used. (See pages 34 to 37 for details.)
- 14 SLEEP: Set the sleep timer. (See page 15.)
- 15 SURROUND: Select Surround settings. (See page 15.)
- 16 AUDIO: Selects the MTS/SAP or the audio mode during multichannel audio broadcasts. (See page 16.)
- FUNCTION: Switches the remote control for TV, CBL/SAT, VCR, DVD and AUDIO operation. Indicator lights up for the current mode. (See pages 32 to 33 for details.)
 * To enter the code registration mode, you need to press

FUNCTION and DISPLAY at the same time.

- 18 LIGHT :A: When this button is pressed, some buttons (for example, VOL+/- and CH∧/V) on the remote control unit will light. The lighting will turn off if no operations are performed within about 5 seconds. This button is used for performing operations in low-light situations.
- 19 VIEW MODE: Select the screen size. (See pages 18 and 39.)
- 20 ENT: Jumps to a channel after selecting with the 0–9 buttons.
- 21 FLASHBACK: Return to the previous channel or external input mode. (See page 15.)
- 22 CH//V: Select the channel. (See page 15.)
- 23 MUTE: Mute the sound. (See page 15.)
- **24 MENU:** Display the menu screen.
- 25 $\blacktriangle/ \bigtriangledown/ \checkmark/ \checkmark/$, ENTER: Select a desired item on the screen.
- 26 RETURN: Return to the previous menu screen.
- 27 FAVORITE CH

A, **B**, **C**, **D**: Select 4 preset favorite channels in 4 different categories. (See page 29.)

While watching, you can toggle the selected channels by pressing $\bm{A}, \, \bm{B}, \, \bm{C}$ and $\bm{D}.$

- 28 FAVORITE: Set the favorite channels. (See page 29.)
- 29 CC: Display captions from a closed-caption source. (See page 17.)
- 30 AV MODE: Select an audio or video setting. (When the input source is TV, INPUT 1, 2 or 3: STANDARD, MOVIE, GAME, USER, AUTO, DYNAMIC (Fixed), DYNAMIC. When the input source is INPUT 4, 5, 6, 7 or 8: STANDARD, MOVIE, GAME, PC, USER, AUTO, DYNAMIC (Fixed), DYNAMIC) (See page 16.)

Connecting to External Equipment

For connecting the TV to external equipment, use commercially available cables.


CAUTION

- To protect equipment, always turn off the TV before connecting any external equipment.
- Please read the relevant operation manual (Blu-ray disc player, etc.) carefully before making connections.

Connecting Audiovisual Equipment


You can connect many types of external equipment to your TV like a Blu-ray disc player, DVD player, VCR, cable/ satellite set-top box, HDMI equipment, game console or camcorder. To view external source images, select the input source from **INPUT** on the remote control unit or on the TV. (See page 15.)

Analog Connection




- To enjoy the AQUOS 1080p display capability, connect your external equipment using a component cable and set the equipment to 1080p output.
- See page 13 for connecting a Blu-ray disc player, DVD player or a cable/satellite set-top box to the HDMI terminal.
- The COMPONENT terminals take priority over the VIDEO (INPUT 1) and S-VIDEO (INPUT 2) terminals.

HDMI Connection



NOTE

- When using an HDMI-DVI conversion cable, input the audio signal to the AUDIO terminal of INPUT 6.
- When you input the audio signal via the AUDIO terminal with INPUT 6, set "PC Audio Select" to "Input 6 (HDMI)". (See page 40.)
 To enjoy the AQUOS 1080p display capability, connect your Blu-ray disc player or other external equipment using an HDMI-certified cable and set the equipment to 1080p output.




It is possible to output audio through the DIGITAL AUDIO OUTPUT terminal. (See page 30 for details.) PCM audio outputs from the terminal.

NOTE

• Depending on the connected equipment, audio will not output from the DIGITAL AUDIO OUTPUT terminal in HDMI connection. In this case, set the audio formats of the connected equipment to PCM, 32/44.1/48 kHz.

Turning On/Off the Power



Press POWER on the TV, or TV POWER on the remote control unit to turn the power on.

• POWER indicator (Green): The TV is on. (After a few seconds, a window appears with sound.)

NOTE

• The initial setup starts when the TV powers on for the first time. If the TV has been turned on before, the initial setup will not be invoked. For changing the settings of the initial setup, perform EZ setup on the Setup menu on page 24.

Press **POWER** on the TV, or **TV POWER** on the remote control unit again to turn the power off.

- The TV enters standby and the image on the screen disappears.
- The POWER indicator on the TV turns off.


NOTE

- If you are not going to use this TV for a long period of time, be sure to remove the AC cord from the AC outlet.
- Weak electric power is still consumed even when the TV is turned off.

Initial Setup

When you turn on the TV for the first time, it will automatically memorize the broadcasting channels available in the region where you live. Perform the following steps before you press TV POWER on the remote control unit.

- Insert the batteries into the remote control unit. (See page 8.) 1.
- 2. Connect the antenna cable to the TV. (See page 8.)
- 3. Plug in the AC cord to the AC outlet. (See page 7.)



Language (Language setting)

Select from among 3 languages: English, French and Spanish.

1 Press \blacktriangle/∇ to select the desired language listed on the screen, and then press ENTER.



TV Location

Select "Home" or "Store" for the location where you plan to install the TV. This product gualifies for ENERGY STAR V3.0 in Home mode default setting.

Press **∢**/**▶** to select "Home" or "Store". Press **ENTER** to enter the setting. 2

	Sele	ect ►
Hon	ne	Store

- Home: "Power Saving" is set to "Advanced", and AV MODE is set to "STANDARD"
- Store: "Power Saving" is set to "Off" and AV MODE is set to "DYNAMIC (Fixed)". Picture Reset and Feature Demo can be set.
 - Picture Reset: AV MODE will be set to "DYNAMIC (Fixed)" regardless of whether Picture Reset is "On" or "Off". If you select "On", AV MODE will be reset to "DYNAMIC (Fixed)" if there is no operation for 30 minutes. When "Off" is selected, AV MODE will be set to "DYNAMIC (Fixed)".
 - Feature Demo: When "On" is selected, after all the settings are completed, the Feature Demo screen is displayed if there is no operation for several minutes.

NOTE

ENERGY STAR qualification is based on AV MODE "STANDARD".

Air/Cable (Antenna setting)

Make sure what kind of connection is made with your TV when selecting "Air" or "Cable".

3 Press **∢**/**▶** to select "Air" or "Cable". Press **ENTER** to enter the setting.



CH Search (Channel search)

Channel auto search makes the TV look for all channels viewable in the set area.

4 When "Air" is selected in Antenna setting: Press **◄/**▶ to select "Start", and then press **ENTER**.



When "Cable" is selected in Antenna setting:


Press ▲/▼ to select "Analog & Digital Search Start" to search both analog and digital broadcasts, or to select "Analog Search Start" to search only analog broadcasts, and then press ENTER.

Analog & Digital Search Start
Analog Search Start
Cancel

- The Channel search will start automatically.
 To exit the Channel search screen, select "Cancel", and then press ENTER.

- If no channel is found, confirm the type of connection made with your TV and try EZ Setup again. (See page 24.)
- For changing the settings of the initial setup, perform EZ setup on the Setup menu on page 24.

Direct Button Operation



Changing Channels

You can change channels by pressing **CH**// v or **0-9**, • (DOT).

Examples:

To select a 1 or 2-digit channel number (e. g., Channel 5): ${\rm Press}~5 \longrightarrow {\rm ENT}$

To select a 3-digit channel number (e. g., Channel 115): Press 1 \longrightarrow 1 \longrightarrow 5 \longrightarrow ENT.

To select a 4-digit channel number (e. g., Channel 22.1): Press $2 \rightarrow 2 \rightarrow \bullet$ (DOT) $\rightarrow 1 \rightarrow ENT$.

NOTE

- When selecting a 1-digit channel number, it is not necessary to press 0 before the number.
- When you enter 0-9 only, channel selection will be made if there is no operation within a few seconds.
- If you push "0" by itself, nothing will happen.
- Complete the above steps within a few seconds.
- When you enter 0-9 and (DOT), channel selection will be made if there is no operation within a few seconds.

Changing Volume

You can change the volume by pressing $\rm VOL+/-$ on the TV or on the remote control unit.

- To increase the volume, press **VOL +**.
- To decrease the volume, press VOL .

□ 20

Audio status

Output device	Output Select		
Output device	Fixed	Variable	
Speaker	Variable sound	Mute	

• When "Output Select" is set to "Variable", the indicator on the screen changes as shown below.

NOTE

• See page 28 for details on the Output Select function.

MUTE

Mutes the current sound output.

Press MUTE.

NOTE

- Within 30 minutes of pressing **MUTE**, mute can be canceled by pressing **VOL**+/- or **MUTE**.
- Mute will be canceled after 30 minutes have passed. However, the TV will not suddenly output a loud sound as the volume level is set to 0 automatically.

Sleep Timer

Allows you to set a time when the TV automatically switches to standby.

Press SLEEP.

- The remaining time displays when the sleep timer has been set.
- Each time you press **SLEEP**, the remaining time switches as shown below.

 $O_{\text{ff}} \rightarrow 30 \rightarrow 60 \rightarrow 90 \rightarrow 120$

- When set, the time automatically starts counting down.
- If you want to adjust the sleep timer, you can press SLEEP twice then change the time setting.
- When it is 5 minutes before the time expires, the remaining time will start to keep appearing every minute.

NOTE

- Select "Off" by pressing SLEEP to cancel the sleep timer.
- The TV will enter standby when the remaining time reaches 0.

FLASHBACK

Press **FLASHBACK** to switch to the previously tuned channel.

 Press FLASHBACK again to switch back to the currently tuned channel.

NOTE

• FLASHBACK will not work if no channel has been changed after the TV is turned on.

SURROUND

The surround function produces Surround effect from the speakers. Each time you press **SURROUND**, the mode changes between On and Off.

On: Makes it possible to enjoy natural, realistic surround sound.

Off: Outputs the normal sound.

NOTE

 You can have the same settings by choosing "Surround" on the menu items. (See page 23.)

FREEZE

Allows you to capture and freeze a moving image that you are watching.

- Press **FREEZE**.
- A moving image is captured.
- Press **FREEZE** again to cancel the function.

NOTE

- When this function is not available, "No displaying still image available." will display.
- The still image automatically goes out after 30 minutes.
- If you are using the freeze function and a broadcast activates the V-CHIP BLOCK, the freeze function will be canceled and a V-CHIP BLOCK message will appear.

INPUT

To view external source images, select the input source using **INPUT** on the remote control unit or on the TV.

1 Press INPUT.

- A list of selectable sources appears.
- 2 Press INPUT again or press ▲/▼ to select the input source.
 - An image from the selected source automatically displays.
 - Each time **INPUT** is pressed, the input source toggles.
 - If the corresponding input is not plugged in, you cannot change the input. Be sure to connect the equipment beforehand.

NOTE

• See pages 12, 13, 34 and 38 for external equipment connection.

Direct Button Operation

AV MODE

AV MODE gives you several viewing options to choose from to best match the surrounding environment of the TV, which can vary due to factors like room brightness, type of program watched or the type of image input from external equipment.

Press **AV MODE**. Current AV MODE displays.

 Press AV MODE again before the mode displayed on the screen disappears. The mode changes as shown below:

Example:

When the input source is TV, INPUT 1, 2 or 3 terminals STANDARD → MOVIE → GAME → USER [TV]

Example:

When the input source is INPUT 4, 5, 6, 7 or 8 terminals

$STANDARD \longrightarrow MOVIE \longrightarrow GAME \rightarrow PC \rightarrow USER[$
T Į

STANDARD: For a highly defined image in a normal lighting.

MOVIE: For a movie.

GAME: Lowers image brightness for easier viewing. **PC:** For PC.

- **USER:** Allows the user to customize settings as desired. You can set the mode for each input source.
- **AUTO:** Optimizes the image quality automatically based on the room brightness and image signal.
- **DYNAMIC (Fixed):** Changes the image and sound settings to the factory preset values. No adjustments are allowed.

DYNAMIC: For a clear-cut image emphasizing high contrast, useful for sports viewing.

NOTE

- You can select a different AV MODE item for each input mode. (For example, select STANDARD for TV input and DYNAMIC for INPUT 1.)
- When you play games, "GAME" is recommended for AV MODE.

AUDIO

■ MTS/SAP stereo mode

The TV has a feature that allows reception of sound other than the main audio for the program. This feature is called Multi-channel Television Sound (MTS). The TV with MTS can receive mono sound, stereo sound and Secondary Audio Programs (SAP). The SAP feature allows a TV station to broadcast other information, which could be audio in another language or something completely different like weather information.

You can enjoy Hi-Fi stereo sound or SAP broadcasts where available.

- Stereo broadcasts: View programs like live sporting events, shows and concerts in dynamic stereo sound.
- SAP broadcasts: Receive TV broadcasts in either MAIN or SAP sound.

MAIN sound: The normal program soundtrack (either in mono or stereo).

SAP sound: Listen to a second language, supplementary commentary or other information. (SAP is mono sound.)

If stereo sound is difficult to hear.

• Obtain a clearer sound by manually switching to fixed mono-sound mode.

You can change MTS as shown below to match the television broadcast signal.

Press AUDIO to toggle between audio modes.

Examples: when receiving MTS and SAP

STEREO mode: STEREO \longleftrightarrow MONO STEREO + SAP mode: ST(SAP) \Rightarrow SAP(ST) \Rightarrow MONO

Digital broadcasting audio mode

The types of audio transmitted in a digital broadcast include SURROUND as well as MONO and STEREO. In addition, it is possible for multiple audio tracks to accompany a single video track.

Press **AUDIO** to toggle between audio modes.

Example: when receiving Digital broadcasting

STEREO (Audio1) → STEREO (Audio2) SURROUND (Audio3) ←



MTS only operates while in TV mode.

POWER SAVING

Allows you to set the Power Saving level in order to decrease the power consumption and increase the backlight lifespan.

Press POWER SAVING.

- Each time you press **POWER SAVING**, the mode changes as shown below.
 - $Off \rightarrow Standard \rightarrow Advanced$

NOTE

• You can have the same settings by choosing "Power Saving" on the menu items. (See page 23.)

Closed Captions and Digital Closed Captions

Your TV is equipped with an internal Closed Caption decoder. It allows you to view conversations, narration and sound effects as subtitles on your TV. Closed Captions are available on some TV programs and on some VHS home video tapes at the discretion of the program provider.

Digital Closed Caption service is a new caption service available only on digital TV programs (also at the discretion of the service provider). It is a more flexible system than the original Closed Caption system, because it allows for a variety of caption sizes and font styles. When the Digital Closed Caption service is in use, it will be indicated by the appearance of a 3-letter abbreviation that also indicates the language of the Digital Closed Captions: ENG (English), SPA (Spanish), FRA (French) or other language codes.

Not all programs and VHS videotapes offer closed captions. Please look for the "[CC]" symbol to ensure that captions will be shown.

In the Closed Caption system, there can be more than one caption service provided. Each is identified by its own number. The "CC1" and "CC2" services display subtitles of TV programs superimposed over the program's picture.

In the Closed Caption system, the "Text1" or "Text2" services display text that is unrelated to the program being viewed (e.g., weather or news). These services are also superimposed over the program currently being viewed.

- 1 Press CC.
 - This will present the Closed Caption information display.
- **2** Press **CC** while the Closed Caption information is still on the screen.
 - Press repeatedly until you select the desired closed caption service.




Closed Caption information

Depending on the number of caption services in the signal being received, you will see information such as 1/2 or 1/4 displayed.
 1/2 means "the first of two services".

z means the instantion to xample:

Example:

If a program has three services (Digital CC(ENG), CC1 and Text1), the closed caption display will toggle in this sequence:



• The **CC** button keeps a record of the last service selected in its memory.

If the last closed caption mode (e.g. 1/3 ENG) you selected is not available for the next program, or on another channel, the closed caption service that is available is automatically selected, and this service appears in parentheses, e.g. "1/3(CC1)". Closed Caption services that appear in parentheses will not be stored in the **CC** button's memory as your last selected service. Only services that you have selected with the **CC** button are stored.

Examples:

In a case where there are two closed caption services provided (for instance, Digital CC(ENG) and CC1), and Digital CC(ENG) is displayed as your current selection, if Digital CC(ENG) is not broadcast for the next program, the other closed caption service, CC1, will be displayed in parentheses.

A closed caption service appears in parentheses because the service you selected is not available and a different service is displayed on your screen. "1/1(CC1)" is displayed instead of "1/2/ENG".

- When "Power Saving" is set to "Standard" or "Advanced", the Power Saving leaf icon appears on the channel information window. See page 23 for details of Power Saving settings.
- See page 29 for detailed closed caption settings.
- When the program contains no closed caption, "--" displays in the closed caption information.
- If the language code, e.g. "ENG", is not found on Digital TV programs, "--" will be shown.
- Four kinds of closed caption service (CC1, CC2, Text1, Text2) are potentially available, but a broadcast may contain none or only some of these services at the discretion of the program provider.

VIEW MODE

You can select the screen size.




1 Press VIEW MODE.

- The View Mode menu displays.
- The menu lists the View Mode options selectable for the type of video signal currently being received.
- **2** Press **VIEW MODE** or \blacktriangle / \checkmark while the View Mode menu is displayed to select a desired item on the menu.
 - You can sequentially select a View Mode that has its own aspect ratio.

For 4:3 programs

Example: Screen size images



For HD programs

Stretch: Suitable for viewing wide-screen 1.78:1 aspect ratio program, stretch mode will still show very thin black bands at the top and bottom of the screen.

Dot by Dot (1080i/p only): Detects the resolution of the signal and displays an image with the same number of pixels on the screen.

Full Screen (720p only): You can select "Full Screen" only when receiving a 720p signal.


S.Stretch (Smart stretch): Suitable for stretching 4:3 programs to fill the screen.

Zoom: Suitable for viewing wide-screen 2.35:1 aspect-ratio programs in full screen.

NOTE

When using Dot by Dot or Full Screen, it is possible to see noise or bars around different outer portions of the screen. Please
change view mode to correct this.

On-Screen Display Menu



NOTE

- Menu options differ in the selected input modes, but the operating procedures are the same.
- The screens in the operation manual are for explanation purposes (some are enlarged, others cropped) and may vary slightly from the actual screens.


LCFONT:

This product is embedded with LC Font technology, which was developed by SHARP Corporation for clearly displaying easyto-read characters on LCD screens.

Menu Operation Buttons

Using the remote control

Use the following buttons on the remote control to operate the menu.



- MENU: Press to open or close the menu screen.
- Press to select a desired item on the screen or **▲/▼/∢/**►: adjust a selected item.
- ENTER: Press to go to the next step or complete the setting.
- **RETURN:** Press to return to the previous step.

Using the control panel of the main unit

Example

AQUOS LINK Setup

PC Audio Select

[Input 4 (PC)]

[Off]

[Off]

[No]

[Yes]

[Fixed]

(1)

(2)

3

(4)

Option

Audio Only

Auto Volume

Clear Voice

Output Select

Caption Setup

Favorite CH

Demo Mode

item.

signal.

Program Title Display

Channel selecting effect


Press ENTER to go to the adjustment screen for this

There are various reasons why the items cannot be

selected, but the main reasons are as follows: Nothing is connected to the selected input terminal.

You can also operate the menu with the control panel of the main unit.

Button operations on the control panel correspond to the ones on the remote control as shown below.



Menu Items

NOTE

- When AV MODE is set to "AUTO", part of the menu may not be displayed correctly or the setting range of the menu may be changed.
- Some menu items may not be displayed depending on the selected input source.
- When configuring a menu, be sure to select the input source according to the menu items to be configured. If a menu is not displayed, check whether one of the following may be the source of the problem.
 - ¹ Audio and video are being inputted to the TV from external HDMI equipment or video is being inputted from a computer (INPUT 4, 5, 6, 7, 8). ^{*2} A TV program is being viewed (TV).

Audio and video are being inputted from external analog equipment (INPUT 1, 2, 3).

Picture Menu

*1

🚺 Audio Menu

Treble	Page 23
Bass	
Balance	Page 23
Surround	Page 23
Bass Enhancer	Page 23
Reset	Page 23

Power Control Menu

Power Saving	Page 23
No Signal Off	Page 23
No Operation Off	Page 23

🗊 Setup	Menu
---------	------

EZ Setup	Page 24 *1
CH Setup	Page 24 *1
Antenna Setup-DIGITAL	Page 24 *1
Input Skip	Page 24
Auto Sync	Page 40 *2
Input Label	Page 24
Parental CTRL	Pages 25-27 *1
	i ages 20-21
Fine Sync.	Page 40 *2
Fine Sync. Position	Page 40 *2
Fine Sync	Page 40 *2 Page 25
Fine Sync Position	Page 40 *2 Page 25 Page 25
Fine Sync Position Language	Page 40 *2 Page 25 Page 25 Page 25 Page 25

Option Menu

*1
*2
*1
*1
*1
*1
*1

Digital Setup Menu


Audio Setup	Page 30 *1
Identification	Page 30 *1
Software Update	Pages 30-31

Picture Menu

Adjusts the picture to your preference with the following picture settings.

Example

Picture	•	
OPC	🔘 Off 🛛 On	🔵 On : Display
Backlight	[+12] -16	+16
Contrast	[+30] 0 <	+40
Brightness	[0] -30 🖪	+30
Color	[0] -30 🕢	+30
Tint	[0] -30 ()	→ () +30
Sharpness	[+2] -10 <	+10
Advanced		
Reset		
1	FREEZE	



- 1 Press **MENU** to display the MENU screen, and then press **∢**/**▶** to select "Picture".
- **2** Press \blacktriangle/ ∇ to select a specific adjustment item.
 - Select "Advanced" and then press ENTER to set "C.M.S.-Hue", "C.M.S.-Saturation", "C.M.S.-Value", "Color Temp.", "Fine Motion Enhanced", "Active Contrast", "Gamma Adjustment", "Black Level", "Film Mode", "Digital Noise Reduction", "3D-Y/C", "Monochrome" or "Range of OPC".
- **3** Press \blacktriangle/ \lor (or $\triangleleft/ \triangleright$) to select the desired setting, and then press **ENTER**.

4 Press MENU to exit.

Selected item	■button	▶ button
Backlight	The screen dims	The screen
		brightens
Contrast	For less contrast	For more contrast
Brightness	For less	For more
	brightness	brightness
Color	For less color	For more color
	intensity	intensity
Tint	Skin tones	Skin tones
	become reddish	become greenish
Sharpness	For less	For more
	sharpness	sharpness

 For resetting all Picture adjustment items to the factory preset values, press ▲/▼ to select "Reset", press ENTER, press ◀/▶ to select "Yes", and then press ENTER.

OPC Setting

Automatically adjusts the brightness of the screen. **Off:** The brightness is fixed at the value set in "Backlight". **On:** Automatically adjusts.

On: Display: Displays the OPC effect on the screen while adjusting the brightness of the screen.

NOTE

- When set to "On", the Optical Picture Control (OPC) senses the surrounding light and automatically adjusts the backlight brightness. Make sure nothing obstructs the OPC sensor, which could affect its ability to sense surrounding light.
- When set to "On: Display", OPC effect displays on the screen while the OPC adjusts the screen brightness.
- When set to "On" or "On: Display", the OPC indicator on the TV lights green.

Advanced Picture Setting

This TV provides various advanced functions for optimizing the picture quality.

C.M.S. (Color Management System)

Color tone is managed using the six-color adjustment setting.

- **C.M.S.-Hue:** This is a standard to adjust the color either more reddish or more bluish in tone.
- **C.M.S.-Saturation:** Increases or decreases the saturation of a selected color.
- **C.M.S.-Value:** A higher value makes the image brighter. A lower value makes the image darker.

NOTE

 For resetting all adjustment items to the factory preset values, press ▲/▼ to select "Reset", and then press ENTER.

Color Temp. (Color Temperature)

For a better white balance, use color temperature correction.

High:	White with bluish tone
Mid-High:	
Middle:	T
Mid-Low:	•
Low:	White with reddish tone

White balance can be adjusted between a maximum of +30 and a minimum of -30 for each color temperature.

	50 101 Ouc
R Gain (LO/HI): -30 thr	rough +30
G Gain (LO/HI): -30 thr	rough +30
B Gain (LO/HI): -30 thr	rough +30

NOTE

 For resetting all adjustment items to the factory preset values, press ▲/▼ to select "Reset", and then press ENTER.

Fine Motion Enhanced

Use Fine Motion Enhanced to view fast-action video more clearly.

On: For obtaining a clearer image.

Off: Normal image.

NOTE

• Fine Motion Enhanced may cause image noise. If this occurs, turn the function "Off".

Active Contrast

Automatically adjusts the image contrast according to the scene.

On: Automatically adjusts the image contrast. **Off:** No adjustment.

Gamma Adjustment

Adjusts the differences of picture tones between bright parts and dark parts. The adjustment range of the gamma can be set to a maximum of +2 and a minimum of -2 by pressing \blacktriangleleft or \triangleright .

Black Level

Adjusts on-screen black level to your preferred level. High: The black level gets brighter.

Low: The black level gets darker.

NOTE

 "Black Level" is available for input signal from Composite Video, S-Video, Component 480i and analog broadcasts (air and cable).

Film Mode (3:2 pull-down)

Automatically detects a film-based source (originally encoded at 24 frames/second), analyzes it then recreates each still film frame for high-definition picture quality.

On: Detects, analyzes, converts film source.

Off: Normal viewing mode.

NOTE

- "Film Mode" does not function when you set AV MODE to "GAME".
- "Film Mode" is not selectable when channel display shows an input signal resolution of 480p, 720p, or 1080p.

Digital Noise Reduction

Produces a clearer video image.

Auto: Automatically adjusts the level of noise reduction.
 High/Middle/Low: Select a desired level for viewing a clearer video image.

Off: No adjustment.

NOTE

 "Digital Noise Reduction" is not available during PC format input.

3D-Y/C

Provides high quality images with minimal dot crawl and cross color noise.

Slow: For still images.

Standard: Normal adjustment.

Fast: For moving images.

NOTE

 3D-Y/C is available for input signal from Composite Video and analog broadcasts (air and cable).

Monochrome

For viewing a video in monochrome. On: For viewing in monochrome. Off: Normal color.

Range of OPC

The brightness level range of the OPC sensor's automatic adjustments can be set according to your preferences. The adjustment range of the OPC sensor can be set to a maximum of +16 and a minimum of -16.

Max.: -15 through +16

Min.: -16 through +15

- The range of OPC settings are active only when the OPC is set to "On".
- The maximum setting cannot be set to a smaller number than the minimum setting.
- The minimum setting cannot be set to a bigger number than the maximum setting.
- Depending on the brightness of the surrounding light, the OPC sensor might not operate if the adjustment range is small.

On-Screen Display Menu

Audio Menu

You can adjust the sound quality to your preference with the following settings.

Example

🚺 Audio							
Treble	[0]	-15	•	-i-		+15	
Bass	[0]	-15			Þ	+15	
Balance	[0]		•			R	
Surround						[Off]	
Bass Enha	Incer					[On]	
Reset							

- **1** Press **MENU** to display the MENU screen, and then press /> to select "Audio".
- **2** Press \blacktriangle/ ∇ to select a specific adjustment item.
 - · Select "Surround" or "Bass Enhancer" and then press ENTER to set each item.
- **3** Press \blacktriangle/ ∇ (or $\triangleleft/ \triangleright$) to select the desired setting, and then press ENTER.

4 Press MENU to exit.

Selected item	■button	▶ button
Treble	For weaker treble	For stronger treble
Bass	For weaker bass	For stronger bass
Balance	Decrease audio from the right speaker	Decrease audio from the left speaker

NOTE

- Audio menu is grayed out when Output Select is set to "Variable". (See page 28.)
- For resetting all Audio adjustment items to the factory preset values, press \blacktriangle/ \forall to select "Reset", press ENTER, press $\triangleleft/\triangleright$ to select "Yes", and then press **ENTER**.

Surround

- Surround function allows you to enjoy realistic "live" sound. On: Surround function is on.
 - Off: Normal sound.

```
NOTE
```

- You can choose Surround by pressing **SURROUND** on the remote control unit. (See page 15.)
- Audio menu is grayed out when Output Select is set to "Variable". (See page 28.)
- For some discs, setup may be required on your DVD. player. In this case, please refer to the operation manual of your DVD player.

Bass Enhancer

This function allows you to enjoy bass-enhanced sound. On: Bass Enhancer function is on.

Off: Normal sound.

NOTE

Audio menu is grayed out when Output Select is set to "Variable". (See page 28.)

Power Control Menu

Power control setting allows you to save energy.

Example

🧭 Power Control		
Power Saving	[Off]	0
No Signal Off	[Disable]	
No Operation Off	[Disable]	A B

- Press MENU to display the MENU screen, and then press
- **2** Press \blacktriangle/ ∇ to select a specific adjustment item, and then press ENTER.
- **3** Press \blacktriangle/ ∇ (or $\triangleleft/ \triangleright$) to select the desired setting, and then press ENTER.
- 4 Press MENU to exit.

Power Saving

This function allows you to set the Power Saving level in order to decrease the power consumption and increase the backlight lifespan.

- Standard: Optimizes power reduction based upon video content. When set to "Standard", " screen.
- Advanced: Optimizes power reduction based upon video content and engages OPC. When set to "Advanced", " appears on the screen.

Off: This function does not work.

NOTE

- "Power Saving" does not function when you set AV MODE to "AUTO" or "DYNAMIC (Fixed)".
- You cannot select a different Power Saving item for each AV MODE.

When "Power Saving" is set, the "OPC" settings for all AV

- Modes will automatically change. —If you set "OPC" to "On" when "Power Saving" is set to "Standard", then the "Power Saving" setting will change to "Advanced"
 - "When you change the "Power Saving" setting from "Advanced" to "Off" or to "Standard", "OPC" will be set to "Off"

- "AUTO" and "DYNAMIC (Fixed)" will remain set to "Off".

- When "Power Saving" is set to "Standard" or "Advanced", the Power Saving leaf icon appears to the left of "OPC" in the Picture menu screen.
- You can select Power Saving by pressing POWER **SAVING** on the remote control unit. (See page 17.)

No Signal Off

When set to "Enable", the power will automatically shut down if there is no signal for 15 minutes.

NOTE

- When it is 5 minutes before the power shuts down, the remaining time will start to keep appearing every minute.
- "Disable" is the factory preset value. • When a TV program finishes, this function may not operate.


No Operation Off

When set to "Enable", the power will automatically shut down if there is no operation for 3 hours.

- When it is 5 minutes before the power shuts down, the remaining time will start to keep appearing every minute.
- "Disable" is the factory preset value.

Setup Menu

Example



- 1 Press MENU to display the MENU screen, and then press
- **2** Press \blacktriangle/ ∇ to select a specific adjustment item, and then press **ENTER**.
 - When you select "EZ Setup", "CH Setup", "Parental CTRL" or "Reset", you can enter the 4-digit secret number here. See page 25 for setting a secret number.
- **3** Press \blacktriangle/ \lor (or $\triangleleft/ \triangleright$) to select the desired setting, and then press **ENTER**.

4 Press MENU to exit.

EZ Setup

You can run EZ Setup again, even after setting up the preset channels.

- Language: Select from among 3 languages (English, French and Spanish).
- TV Location: Select "Home" or "Store" for the location where you plan to install the TV. This product qualifies for ENERGY STAR V3.0 in Home mode default setting. Home: "Power Saving" is set to "Advanced", and AV MODE is set to "STANDARD".
 - Store: "Power Saving" is set to "Off" and AV MODE is set to "DYNAMIC (Fixed)". Picture Reset and Feature Demo can be set.
 - Picture Reset: AV MODE will be set to "DYNAMIC (Fixed)" regardless of whether Picture Reset is "On" or "Off". If you select "On", AV MODE will be reset to "DYNAMIC (Fixed)" if there is no operation for 30 minutes. When "Off" is selected, AV MODE will be set to "DYNAMIC (Fixed)".
 - Feature Demo: When "On" is selected, after all the settings are completed, the Feature Demo screen is displayed if there is no operation for several minutes.
 - ENERGY STAR qualification is based on AV MODE "STANDARD".
- Air/Cable: Make sure what kind of connection is made with your TV when selecting "Air" or "Cable".

CH Search: Channel auto search makes the TV look for all channels viewable in the set area.

NOTE

- See "Initial Setup" on page 14 for setting each item.
- If no channel is found, confirm the type of connection made with your TV and try EZ Setup again.
- If you select "Analog Search Start" and initiate the channel search, the CH Memory for Cable Digital will be deleted.

CH Setup

If initial setup does not memorize all the channels in your region, follow the instructions below to manually memorize the channels.

- **Air/Cable:** Make sure what kind of connection is made with your TV when selecting "Air" or "Cable".
- **CH Search:** Channel auto search makes the TV look for all channels viewable in the set area.
- **CH Memory:** You can select the channels to skip in each ANALOG (Air), ANALOG (Cable), DIGITAL (Air) and DIGITAL (Cable).

On: Skips channels. (Channel selection disabled using CH Λ/V .)

- Off: Does not skip channels. (Channel selection enabled using CH(1) = 0
- Remove Scrambled CH: This function makes the TV look for and then delete digital cable channels that are scrambled and so unavailable in the set area. The process may take more than 20 minutes. Yes: Starts to remove scrambled channels. No: This function does not work.

NOTE

- See "Initial Setup" on page 14 for setting each item.
- If no channel is found, confirm the type of connection made with your TV and try channel search again.
- If you select "Analog Search Start" and initiate the channel search, the CH Memory for Cable Digital will be deleted.

Antenna Setup-DIGITAL

In order to receive digital air broadcasts, you need a digital broadcast antenna. You can confirm the antenna configuration through the "Antenna Setup-DIGITAL" screen. If necessary, adjust the direction of the antenna to obtain the maximum signal strength.

Signal Strength: The signal strength of DIGITAL channel is displayed. The signal information is based on the current channel.

Channel Strength: Input the 2-digit channel number to check the signal strength of the selected channel. Make sure the signal is strong enough for each channel.

• This function is available for DIGITAL (Air) only.

Input Skip

This setting allows you to skip the HDMI or PC-IN Input ("Input 4 (PC)", "Input 5 (HDMI)", "Input 6 (HDMI)", "Input 7 (HDMI)" and "Input 8 (HDMI)") on the Input Selection operation.

Yes: Skips the input. **No:** Does not skip input.

Input Label

Lets you set the input terminal displayed when using the INPUT SOURCE menu or channel display. Press $\Lambda/\nabla/\langle\rangle$ to select the new name for the input

NOTE

• You cannot change labels if the INPUT SOURCE is TV.

On-Screen Display Menu

Position

For adjusting a picture's horizontal and vertical position.

H-Pos.: Centers the image by moving it to the left or right.

V-Pos.: Centers the image by moving it up or down.

NOTE

- For resetting adjustments to the factory preset values, press ▲/▼ to select "Reset", and then press ENTER.
- When connecting a PC to the HDMI terminal, the image position will be automatically adjusted. It cannot be manually adjusted.
- The screen position variable ranges depend on the View Mode or the signal type. The ranges can be seen on the position-setting screen.
- Adjustments are stored separately according to input source.

Language

You can also select a language from the Setup menu. Select from among 3 languages: English, French and Spanish.

Blue Illumination

When this function is set to "On", the LED on the front of the TV turns on.

NOTE

 "On" is the factory preset value. If you want to turn off the LED, set the function to "Off".

Reset

If complex adjustments are made and the settings cannot be restored to normal, you can reset the settings to the factory preset values.

- **1** "Return to the factory preset values" displays on the screen.
 - If you have already set the Secret No., input the 4-digit secret number here.
- 2 Select "Yes".
 - "Now, TV will restart automatically. OK?" displays on the screen.
- 3 Select "Yes".
 - "Now initializing..." displays on the screen and blinks. After the reset has been completed, the power shuts off and then comes back on. The screen will have returned to its original settings.

NOTE

- The Channel Setup settings will not be changed.
- The Language settings will not be changed.
- The Secret number settings will not be changed.
- The TV Location settings will not be changed.

Parental CTRL (Parental Control Setting)

Secret No.

Allows you to use a secret number to protect certain settings from being accidentally changed.

IMPORTANT:

Three conditions must be met to enable the V-Chip (see pages 26 to 27):

- 1. Secret No. is registered.
- V-Chip/V-Chip (DTV Only) settings have been made.
 The "V-Chip (DTV Only)" will only be selectable when a new rating system can be downloaded via digital broadcasting in the U.S.
- 3. "Status" is set to "On".

New Secret No.

You can set and change the secret number by using **0-9**.

- Input Secret No.: When you change the secret number, enter the old 4-digit secret number here. The cursor moves to "New Secret No.".
- New Secret No.: When you set the new secret number, enter the new 4-digit secret number here. The cursor moves to "Reconfirm".
- Reconfirm: Enter the same 4-digit number you set in "New Secret No.".

Secret No. Clear

You can clear your secret number. Yes: Your secret number is cleared. No: Your secret number is not cleared.

NOTE

- As a precautionary measure, make a note of your secret number and keep it in a familiar place.
- If the secret number is cleared, the Status setting automatically sets to "Off". "V-Chip" and "Status" will not be selectable from the menu.

Status

Used to enable or disable the parental control function. This function will not be selectable from the menu if you do not first configure your secret number. **On:** Enables Parental CTRL.

Off: Disables Parental CTRL.

V-Chip

V-CHIP is an electronic filtering device built into your TV. This tool gives parents a great degree of control over broadcasts accessed by their children. It allows parents to select programs judged suitable for child viewing while blocking ones judged not suitable. It does so automatically once you activate the V-CHIP feature in your TV. "V-Chip" and "Status" will not be selectable from the menu if you do not first configure your secret number.

- The U.S. has two rating systems for viewing content: TV Parental Guidelines and movie ratings.
- The TV Parental Guidelines work in conjunction with the V-CHIP to help parents screen out inappropriate television shows from their children.
- Movie ratings are used for original movies rated by the Motion Picture Association of America (MPAA) as watched on cable TV and not edited for television. The V-CHIP can also be set to block MPAA-rated movies.

NOTE

- The setting automatically enters "Block" for any ratings below your selection.
- If Status is not set to "On", the configuration settings will not work.

MPAA (Voluntary movie rating system)





Press \blacktriangle/∇ to adjust the item to your desired position. "a" indicates the item is blocked. Press **MENU** to exit.

G: General audiences. All ages admitted.

- **PG:** Parental guidance suggested. Some material may not be suitable for children.
- **PG-13:** Parents strongly cautioned. Some material may be inappropriate for children under 13.
- **R:** Restricted. Under 17 requires accompanying parent or adult guardian (age varies in some jurisdictions).


NC-17: No one 17 and under admitted.

X: X is an older rating that is unified with NC-17 but may be encoded in the data of older movies.

NOTE

• Voluntary movie rating system only uses an age-based rating.

TV Parental Guidelines



Press \blacktriangle/∇ to adjust the item to your desired position. "**a**" indicates the item is blocked. Press **MENU** to exit.

Suggested age TV-Y: All children. TV-Y7: Directed to older children. TV-G: General audience. TV-PG: Parental Guidance suggested. TV-14: Parents strongly cautioned. TV-MA: Mature audience only.

 MPAA

 TV Guidelines

 Can. English Ratings

 Can. French Ratings

 Can. French Ratings

 Image: Can. French Ratings

When setting an individual content-based rating item:

- 1 Press ► or ENTER to access blocked content items from the currently selected age-based rating item.
- 2 Press ▲/▼ to select an individual item, and then press ENTER to unblock it ("a" is removed). Repeat the same steps for the other items.

Content

FV: Fantasy violence.

V: Violence.

- S: Sexual situation.
- L: Adult language.
- D: Sexually suggestive dialog.

Rating		Content				
		FV	V	S	L	D
	TV-Y	X	X	X	X	\times
Suggested age	TV-Y7	×	\times	\times	X	\times
	TV-G		\times	\times	X	\times
	TV-PG		×	×	×	×
	TV-14		×	×	×	×
	TV-MA		×	\times	\times	

 \boxtimes : The content rating can be set, but this rating is not normally broadcast by TV stations.

 \times : Content rating can be set.

On-Screen Display Menu

Canadian Rating Systems (Canadian English ratings and Canadian French ratings)

- The TV rating systems in Canada are based on the Canadian Radio-Television and Telecommunications Commission (CRTC) policy on violence in television programming.
- While violence is the most important content element to be rated, the structure developed takes into consideration other program content like language, nudity, sexuality and mature themes.
- When setting the V-CHIP on the Canadian system you can choose either the Canadian English ratings or the Canadian French ratings.

Canadian English Ratings


Example



Press \blacktriangle/∇ to adjust the item to your desired position. "a" indicates the item is blocked. Press MENU to exit.

- E: Exempt: Includes news, sports, documentaries and other information programming; talk shows, music videos, and variety programming.
- C: Children: Intended for younger children under the age of 8 years. Pays careful attention to themes that could threaten their sense of security and well-being.
- C8+: Children over 8 years old: Contains no portrayal of violence as the preferred, acceptable, or only way to resolve conflict; nor encourage children to imitate dangerous acts which they may see on the screen.
- G: General: Considered acceptable for all age groups. Appropriate viewing for the entire family, contains very little violence, physical, verbal or emotional.
- PG: Parental Guidance: Intended for a general audience, but may not be suitable for younger children (under the age of 8) because it could contain controversial themes or issues.
- 14+: Over 14 years: Could contain themes where violence is one of the dominant elements of the storyline, but it must be integral to the development of plot or character. Language usage could be profane and nudity present within the context of the theme.
- 18+: Adults: Intended for viewers 18 years and older and might contain depictions of violence, which while related to the development of plot, character or themes, are intended for adult viewing. Could contain graphic language and portrayals of sex and nudity.

Canadian French Ratings



Press \blacktriangle/∇ to adjust the item to your desired position. "a" indicates the item is blocked. Press MENU to exit.

E: Exempt programming.

- G: General: All ages and children, contains minimal direct violence, but may be integrated into the plot in a humorous or unrealistic manner.
- 8ans+: General but inadvisable for young children: May be viewed by a wide public audience, but could contain scenes disturbing to children under 8 who cannot distinguish between imaginary and real situations. Recommended for viewing with parent.
- 13ans+: Over 13 years: Could contain scenes of frequent violent scenes and therefore recommended for viewing with parent.
- **16ans+:** Over 16 years: Could contain frequent violent scenes and intense violence.
- 18ans+: Over 18 years: Only for adult viewing. Could contain frequent violent scenes and extreme violence.

How to temporarily release the V-CHIP BLOCK

When the V-CHIP BLOCK is working and censors a broadcast, "V-CHIP HAS BEEN ACTIVATED." displays.

- 1 Press ENTER while the V-CHIP is working, and then the secret number setting menu displays.
- 2 Input the 4-digit secret number by using 0–9. At this time V-CHIP BLOCK temporarily releases.

Reactivating the temporarily released V-CHIP BLOCK

You can reactivate the temporarily released V-CHIP BLOCK as shown below.


- Select "Status" setting from the Parental CTRL menu to
- reactivate BLOCK. (See page 25.)
 Select "V-Chip" setting ("MPAA", "TV Guidelines", "Can. English Ratings" or "Can. French Ratings") from the Parental CTRL to reactivate BLOCK. (See pages 26 to 27.)
- Switch off the TV power.

NOTE

 Performing any of the three above will activate the V-CHIP BLOCK

Option Menu

Example



- 1 Press **MENU** to display the MENU screen, and then press **∢/**▶ to select "Option".
- 2 Press ▲/▼ to select a specific adjustment item and then press ENTER.
- **3** Press \blacktriangle/ \lor (or $\triangleleft/ \triangleright$) to select the desired setting, and then press **ENTER**.
- 4 Press MENU to exit.
 - Skip this step for "Audio Only".

Audio Only

When listening to music from a music program, you can turn the screen off and enjoy audio only.

On: Audio is output without screen image. **Off:** Both screen images and audio are output.

NOTE

 The screen image will return to normal when a button (except those for audio adjustment, such as VOL, MUTE, SURROUND, AUDIO) is pressed.

Auto Volume

Different sound sources sometimes do not have the same volume level, such as a program and its commercial breaks. The Automatic Volume Control (Auto Volume) reduces this problem by equalizing levels.

Clear Voice

This function emphasizes speech against background noise for greater clarity.

Input Select

If the image does not come in clearly from the external equipment connected to INPUT 1 or INPUT 2, you may need to change the input signal type setting on the "Input Select" menu.

■ INPUT 1

Select the input signal type from the list below: Auto/COMPONENT/VIDEO

INPUT 2

Select the input signal type from the list below: Auto/COMPONENT/S-TERMINAL

NOTE

- If the selected signal type is incorrect, images are not displayed at all or are displayed without any color.
- Refer to your external equipment operation manual for the signal type.
- If you set INPUT 1 or 2 to Auto, the TV will automatically select the input signal.
- Setting INPUT 1 or 2 signal selection to "Auto" when other equipment is connected will result in the following connection priority.

INPUT 1:

- COMPONENT VIDEO
 VIDEO
- INPUT 2:
 - COMPONENT VIDEO
 S-VIDEO

HDMI Setup

To watch an HDMI or PC-IN equipment image, select "INPUT5", "INPUT6", "INPUT7" or "INPUT8" from INPUT SOURCE menu using **INPUT** on the remote control unit or on the TV.

Auto View:

Enable: To use View Mode based on signal recognition, including an HDMI signal. **Disable:** No function.

NOTE

- Refer to your external equipment operation manual for the signal type.
- When connecting an HDMI-DVI conversion adapter/cable to the HDMI terminal, the image may not come in clearly.

Output Select

Allows you to select what controls the audio output. **Fixed:** Sound via speaker is adjusted with **VOL**+/- on the remote control unit or **VOL**+/- on the TV. Sound via the AUDIO OUTPUT terminal is not adjustable and outputs at a consistent level. **Variable:** Sound via the AUDIO OUTPUT terminal is adjusted with **VOL**+/- on the remeter control unit or

adjusted with **VOL**+/- on the remote control unit or **VOL**+/- on the TV. Sound via speaker is muted.

Sound via speaker is muted

Channel selecting effect

You can select whether to use transition effects when changing channels.

Yes: A transition effect is used when the channel is changed. **No:** No function.

Color System

Select the video signal system compatible with your equipment from the list below:

Auto/NTSC/PAL-M/PAL-N

NOTE

- "Color System" can only be set for the INPUT 1 VIDEO, INPUT 2 S-VIDEO and INPUT 3 VIDEO.
- If you have already set the Secret No., input the 4-digit secret number here. See page 25 for setting a secret number.

Caption Setup

This function allows you to adjust the closed caption screen appearance to suit your preference. You can adjust 7 items: "Caption Size", "Font Style", "Foreground Color", "Foreground Opacity", "Background Color", "Background Opacity" and "Character Edge".

Example:

Selectable items available for "Font Style".

Default: The font specified by broadcasting station or default font.

- Type 0: Proportional font used in the MENU screen.
- **Type 1:** Monospaced with serifs.
- Type 2: Proportionally spaced with serifs.
- Type 3: Monospaced without serifs.
- Type 4: Proportionally spaced without serifs.
- Type 5: Casual font type.
- Type 6: Cursive font type.
- Type 7: Small capitals.

NOTE

- For resetting adjustments to the factory preset values, press ▲/▼ to select "Reset", and then press ENTER.
- The default value depends on the broadcasting station.

Digital Caption Info. (Digital Caption Information)

This function allows viewing of digital closed caption information for the digital broadcast program being viewed.

NOTE

- This list is not displayed for analog broadcasts or external input audio/video.
- This information is not included in CC1, CC2, Text1, or Text2, and is not displayed in a list.

Program Title Display

Select the CH display when changing channels for digital broadcasting.

Yes: "Program Info." displays. **No:** "Program Info." does not display.

Game Play Time

This function displays the elapsed game time so you do not lose track of the time. To display the elapsed time, select "GAME" for the AV MODE before starting the game.

 On: The elapsed time is displayed every 30 minutes when you switch to GAME mode in external input mode.
 Off: No adjustment.

Operation Lock Out

This function locks the operation buttons on the TV and the remote control.

Off: No adjustment.

RC Control Lock: All buttons on the remote control are locked.

Button Control Lock: All buttons on the TV, except POWER, are locked.

NOTE

- To unlock the buttons on the remote control by using the control panel of the main unit (see page 19):
 Derge MENU to display the MENU agreen and then
 - Press MENU to display the MENU screen, and then press VOL +/- to select "Option".
 - (2) Press CH//V to select "Operation Lock Out", and then press INPUT.
 - (3) Press $CH \wedge / V$ to select "Off", and then press INPUT.
 - (4) Press **MENU** to exit.
- To unlock the buttons on the TV, press MENU on the remote control, and then select "Off" in "Operation Lock Out".

Favorite CH (Favorite Channel Setting)

This function allows you to program 4 favorite channels, in 4 different categories. By setting the favorite channels in advance, you can select your favorite channels easily.

To register your favorite channel:

Select "Register" and then press **ENTER**. Press ▲/▼/◀/ ► to select the position in the category, and then press **ENTER** to register.

To delete your favorite channel:

Select "1 Data Clear" and then press ENTER. Press

 $\land / \lor / \checkmark / \checkmark$ to select the channel you want to delete, and then press **ENTER**. Select "Yes" and then press **ENTER**.

To delete all the favorite channels, select "All Data Clear".

NOTE

- Before setting the channel, select the channel you want to register as a favorite channel.
- You can display the "Favorite CH" screen by pressing **FAVORITE** on the remote control.

Demo Mode

You can select the image from several types of demo mode.

120Hz Demo/LED Demo/Feature Demo/Auto Play

If you select "Auto Play", you need to set playback type. Continuous: Play Demos continuously. 10 min.: Play Demos every 10 minutes.


20 min.: Play Demos every 20 minutes.

- This function will be canceled when you press **EXIT** on the remote control unit.
- When "Demo Mode" is set to "Feature Demo", pressing **FREEZE** pauses/restarts demo.
- "Demo Mode" may not be selected depending on input signal type.
- "Demo Mode" may be automatically canceled depending on input signal type.

Digital Setup Menu

This setting allows you to optimize the settings of Digital broadcasting.

Example



- 1 Press **MENU** to display the MENU screen, and then press **∢**/**▶** to select "Digital Setup".
- **2** Press \blacktriangle/ ∇ to select a specific adjustment item, and then press **ENTER**.
- **3** Press \blacktriangle/ \lor (or $\triangleleft/ \triangleright$) to select the desired setting, and then press **ENTER**.
- 4 Press MENU to exit.

Audio Setup

You can output digital audio to an AV amplifier or similar device whose DIGITAL AUDIO INPUT terminal is connected to the DIGITAL AUDIO OUTPUT terminal on the TV. Please select an audio output format compatible with the audio format of the program you are watching and the equipment connected.

- **PCM:** The optical output terminal outputs audio signal in PCM form. If your digital audio system does not support Dolby Digital, select "PCM".
- **Dolby Digital:** The optical output terminal outputs audio signal in Dolby Digital form. It reproduces sound from surround program of digital.


Identification

The current version of the TV software is displayed.

Software Update


This function allows software updates by inserting a USB memory device with the update file into the SERVICE terminal on the TV.

To check for the availability of a software update, visit www.sharpusa.com. If you have any questions, please call 1-800-BE-SHARP (800-237-4277).



CAUTION

- Do not remove the USB memory device or unplug the AC cord while the software is being updated.
- Be sure to properly follow the whole procedure described below, step by step. Otherwise, for example, the TV cannot read the data in the USB memory device and software updating will fail.
- 1 Insert the USB memory device with the update file into the SERVICE terminal on the TV.



- 2 Press **MENU** to display the MENU screen, and then press **∢**/**▶** to select "Digital Setup".
- **3** Press \blacktriangle/ \lor to select "Software Update", and then press **ENTER**.
 - If you have already set the Secret No., go to step 4.

Digital Setup	
Audio Setup	[PCM]
Identification	
Software Update	

4 Input the 4-digit secret number by using **0–9**.



On-Screen Display Menu

5 Press **ENTER** to start checking the data in the USB memory device.



6 During the data checking, "Checking" blinks.



• The current version of the TV software and the version of the update file on the USB memory device are displayed. To update the TV software with the update file, select "Yes", and then press **ENTER**.






 If the USB memory device is not properly installed or the correct update file cannot be found on the USB memory device, an error message is displayed. Check the file on the USB memory device, and then reinsert the USB memory device correctly.

Software update file is not detected in the USB memory device. Confirm that you have transferred the file to the USB memory device and retry software update.
There is more than one software file in the USB memory device. Confirm that only the software update file is in the USB memory device. OK

- **7** Press **ENTER** to start updating.
 - The screen becomes dark for a while until the update screen can be displayed. Please wait for the update screen to appear. Do not unplug the AC cord.



CAUTION

- Do not remove the USB memory device or unplug the AC cord while the software is being updated.
- **8** When the software is successfully updated, a screen is displayed indicating that the update process is completed.

After this screen is displayed, the TV automatically turns off and then turns on again.





 If the update has failed, check the file in the USB memory device and try Software Update again.




9 After the screen shown below is displayed, press **ENTER**.

System software was successfully updated. Remove the USB memory device.	
ОК	

10 Remove the USB memory device.

Presetting Remote Control Function

You can operate the connected AV products (AV receiver, cable box, SAT tuner, DTV, VCR, DVD, LD) using the presetting manufacturer function of your remote control unit.



Presetting manufacturer codes

- **1** Press **FUNCTION** until the LED for your device lights up.
- 2 After the LED for your device lights up, press FUNCTION and DISPLAY at the same time to enter the code registration mode. The LED will blink.
- **3** Press **0–9** to enter the manufacturer code. (See page 33.)
 - Preset mode is finished once the LED no longer lights up.
- **4** After registering the code, the LED will stop blinking then turn off after one second. (If you perform an incorrect operation, the LED will blink quickly then turn off.)

Operating the Connected Equipment

To operate the connected equipment, press **FUNCTION** to select the LED for your device. (VCR, AUDIO, CBL/SAT (cable converter) or DVD.) The LED lights up, and the remote control unit button will function as follows.

- When you operate VCR or DVD, press INPUT to select the terminal connected to your device.
- CABLE and SAT cannot be selected at the same time.

1 SOURCE POWER

• Turns the connected equipment power on and off.

2 ◀

- Rewinds the tape and allows picture search. (VCR)
- Hold down to go in reverse. (DVD)

3 REC

• Starts recording. (VCR)

4

 Pressing quickly once takes you to the start of the chapter currently playing. Each time you press it, you move back to the start of the previous chapter. (DVD)

5 0-9 (CBL/SAT), • (DOT) (SAT)

• Press a button (or buttons) that corresponds to the channel that you wish to watch.

6 🕨

• Starts playback. (VCR, DVD)

7 🕨

- Rapidly advances the tape and allows picture search. (VCR)
- Hold down to fast forward. (DVD)

8

Sets pauses and still pictures. (VCR, DVD)

9

- Stops the tape transport. (VCR)
- Playback stops when pressed. With some DVD players, pressing the button twice may open the disc tray. (DVD)

10

• Pressing quickly once takes you to the start of the next chapter. Each time you press it, you move ahead to the start of the next chapter. (DVD)

11 FLASHBACK

• Press to switch between the current channel and the channel you were watching immediately before. Some manufacturers do not preset FLASHBACK. (CBL)

12 CH////

- Press CHA or CHV to tune in to a higher or lower channel. (CBL)
- Press to select the channel of the TV tuner on the VCR. (VCR)

13 MENU

• When this button is pressed, the DVD menu will display. (DVD)

14 **▲**/▼/**∢**/**▶**, ENTER

- ▲/▼/ ◀/▶: Press the button to select items on the SAT GUIDE screen or SAT MENU screen. (SAT). Press the button to select items on the DVD menu screen. (DVD)
- ENTER: Press to activate the selected function. (SAT, DVD)

Manufacturer codes

VCR BRAND	REMOTE CONTROL CODE NUMBER
Akai	25, 26, 37
Audio	15, 22, 30
Broksonic	32
Canon	04
Capehart	34
Craig Curtis Mathis	10, 31 04
Daewoo	34
DBX	15, 22, 30
Dynatech	29
Emerson	21, 32, 35
Fisher	09, 10, 11
Funai	28, 29
G.E.	04
Goldstar	24
Hitachi	06, 47
Instant Replay	04
JC Penney	04, 06, 24, 30
JVC	15, 41, 42, 53 14, 15
Kenwood Lloyds	29
Magnavox	04, 05, 08
Magnin	31
Marantz	30
Memorex	04, 10, 24, 29
Minolta	06
Mitsubishi	17, 18, 39, 40, 48
Montgomery Ward	02, 43
Multitech	29
NEC	15, 22, 30
Panasonic	04, 44, 45, 49, 50
Pentax Philco	05, 06 04, 06
Philips	04, 05, 08
Pioneer	46
QUASAR	04
RCA	06, 07, 33, 51
Realistic	01, 02, 10, 24
Samsung	23, 31
Sanyo	10, 14, 52
Scott	20
Sears	06, 11, 24
Sharp	01, 02, 03
Shintom Sony	36 12, 13, 38
Sound Design	29
Sylvania	05, 08
Symphonic	29
Tatung	15
Teac	15, 29
Teknika	27, 29
Thomas	29
TMK	21
Toshiba	19, 20
Video Concepts	30
Yamaha	15, 29, 30
Zenith	16

DVD/BD/LD BRAND	REMOTE CONTROL CODE NUMBER	
Denon JVC Kenwood Magnavox Marantz Mitsubishi Panasonic Philips Pioneer Proscan RCA Samsung Sharp Sony Toshiba Yamaha Zenith	02 09 21 04 04 06 02, 22 04, 23 08, 11, 20 03 03, 24 07, 12 01, 10 05, 25 04 02 04	
CATV/SAT BRAND	REMOTE CONTROL CODE NUMBER	
Anvision Cable Star Eagle General Instrument Jerrold	04, 05 04, 05 05 02, 03, 07, 12, 13, 14, 19, 22 02, 03, 07, 12, 13, 14, 22, 31, 32, 33, 34, 35,	
Magnavox Motorola NEC Oak Sigma Panasonic	36, 37, 38, 39, 40 04, 05, 09, 14, 17, 18, 20, 21, 24, 25 47 42 8 16, 23	
Philips Pioneer Randtek RCA Scientific Atlanta Sony Viewstar Zenith	04, 05, 09, 15, 17, 18, 20, 21, 24, 25 08, 10, 29, 30, 43*, 46 04, 05 16, 27, 44*, 45* 01, 26 28 04, 05, 09, 15, 17, 18, 20, 21, 24, 25 06, 41	


NOTE
Numbers marked with * are SAT codes, all others are CATV codes.

AUDIO BRAND	REMOTE CONTROL CODE NUMBER
Sharp	01

Controlling HDMI Equipment Using AQUOS LINK


What's AQUOS LINK?

- Using the HDMI CEC (Consumer Electronics Control) protocol, with AQUOS LINK you can interactively operate compatible system equipment (Blu-ray disc equipment, AV amplifier, DVD).
- By connecting AQUOS LINK-compatible devices with HDMI-certified cables to the TV, you can control a recorder or AV amplifier using the remote control of the TV.
- AQUOS LINK allows you to operate the HDMI-connected equipment with one remote control.



NOTE

- Point the remote control toward the TV, not to connected HDMI equipment.
- Video noise may occur depending on the type of HDMI cable used. Make sure to use an HDMI-certified cable.
- Up to 3 pieces of HDMI recording equipment and one AV amplifier can be connected using this system.
- These operations affect the HDMI equipment selected as the current input source. If the equipment does not operate, turn on the equipment and select the appropriate input source using **INPUT**.



You can operate AQUOS LINK-compatible devices with the remote control unit when the **FUNCTION** of the remote control unit is set to TV.

 $\ensuremath{\mathsf{REC}}$ STOP and $\ensuremath{\mathsf{OPTION}}$ buttons will function only when AQUOS LINK is used.

One Touch Play

While the TV is in standby mode, it automatically turns on and plays back the image from the HDMI source.

One Touch Recording

Press **REC** while you are viewing a broadcast received with the AQUOS LINK-compatible recorder. The AQUOS LINK automatically recognizes the connected HDMI device and starts recording.

Single remote control

The AQUOS LINK automatically recognizes the connected HDMI device and you can control the TV and the devices as if using a universal remote control.

Control the AQUOS LINK-compatible audio system

Set the volume of AQUOS LINK-compatible audio system.

- The above description is an example of the AQUOS LINK function.
- The steps in "AQUOS LINK Setup" on page 35 need to be completed beforehand.
- Refer to this operation manual and the operation manual of the AQUOS LINK device to be used with this TV.

Using AQUOS LINK

AQUOS LINK Setup



- 1 Press **MENU** to display the MENU screen, and then press **∢**/**▶** to select "Option".
- 2 Press ▲/▼ to select "AQUOS LINK Setup", and then press ENTER.
- **3** Press \blacktriangle/ ∇ to select a specific item, and then press **ENTER**.
- **4** Press $\blacktriangle/ \bigtriangledown$ (or $\triangleleft/ \triangleright$) to select the desired setting, and then press **ENTER**.
- 5 Press MENU to exit.

AQUOS LINK Control

Select AQUOS LINK Control to disable AQUOS LINK function even when an AQUOS LINK-compatible HDMI device is connected to the TV. This function prevents the device from starting to operate unexpectedly.

Enable: You can operate AQUOS LINK-compatible equipment.

Disable: AQUOS LINK function does not work.

AQUOS LINK Control		
Auto Power On		
Selecting Recorder		
	Enable	Disable

Auto Power On

If this is activated, the One Touch Play function is enabled.

Yes: While the TV is in standby mode, it automatically turns on and plays back the image from the HDMI source.

No: This function does not work.

AQUOS LINK Control		
Auto Power On		
Selecting Recorder		
	Yes	No

Selecting Recorder

When multiple AQUOS LINK-compatible devices are connected, this function allows you to set the recorder for recording when you press **REC** on the TV's remote control unit.

Press \blacktriangle/∇ to select the recorder for recording.

Example				
Input	Location			
5 INPUT5	[1.0.0.0]			
6 INPUT6	[2.0.0.0]			
	Input INPUT5			

NOTE


Example : when connecting AQUOS LINK-compatible recorder via AQUOS LINK-compatible Audio system

•		
AQUOS LINK Control		
Auto Power On		
Selecting Recorder	Input	Location
	5 INPUT5 (Sub)) [1.1.0.0]
	6 INPUT6	[2.0.0.0]
		1

When an AQUOS LINK-compatible audio system or other equipment is connected between the TV and recorder, "Sub" is displayed.

One Touch Recording

This function allows easy one-touch recording of the program being viewed on the TV to AQUOS LINK-compatible equipment with a recording function by simply pressing **REC** on the remote control.



Prepare the connected AQUOS LINK-compatible recorder for recording. Check the following items.

- Make sure that the antenna cable is connected.
- Check that there is sufficient available space on the recording media (HDD, DVD, etc.).
- On the TV, use "AQUOS LINK Setup" and "Selecting Recorder" to select the equipment for recording.
- By default, the recorder connected to INPUT 5 is selected for recording.
- 1 Press REC to start recording.
 - When you are viewing a broadcast received with the AQUOS LINK-compatible recorder selected in "Selecting Recorder", recording to the AQUOS recorder of the broadcast being viewed starts.
 - When you are viewing a broadcast received with equipment other than the AQUOS LINK-compatible recorder selected in "Selecting Recorder" or other external input equipment, pressing **REC** on the remote control does not start recording.
- 2 Press **REC STOP** to stop recording.

Using AQUOS LINK

One Touch Playback

AQUOS LINK allows you to operate the HDMIconnected equipment with one remote control.

POWER	DISPLAY	LIGHT Č
	\blacktriangleright	
		Ш
H		MODE

Press ► to start playing back a title.

• The last played program is played back. You can use the following buttons during broadcast viewing.

Buttons	Description
SOURCE POWER	Turns the power of the HDMI connected devices on and off.
••	Hold down to go in reverse.
	Starts playback.
•	Hold down to fast forward.
	Playback stops.
	Sets pauses and still pictures.
H	Pressing quickly once takes you to the start of the chapter currently playing. Each time you press it, you move back to the start of the previous chapter.
M	Pressing quickly once takes you to the start of the next chapter. Each time you press it, you move ahead to the start of the next chapter.

NOTE

- The buttons **I** do not function with the following Blu-ray disc players currently available.
- BD-HP20U, BD-HP50U

AQUOS LINK Menu

AQUOS LINK Recorder EPG Top menu/title list Media change By AQUOS AUDIO SP By AQUOS SP Sound mode change Setup menu Model select



Timer Recording

You can call up the AQUOS LINK-compatible recorder's EPG and preset timer recordings using the TV's remote control.

- 1 Press **OPTION** to display the AQUOS LINK MENU screen.
- 2 Press ▲/▼ to select "Recorder EPG", and then press ENTER.
 - The recorder's EPG is displayed.
- **3** Select the program to record.
 - You can use ▲/▼/ ◄/▶, ENTER, RETURN, EXIT and the coloured buttons.

- This function works only when an AQUOS LINK-compatible recorder is connected.
- Refer to the operation manual of the recorder for details.

Using AQUOS LINK

Playback of Titles Using AQUOS LINK

This section explains how to play back a title in the AQUOS LINK-compatible equipment.

- 1 Power on the AQUOS LINK-compatible equipment, and select appropriate external input.
- **2** Press **OPTION** to display the AQUOS LINK MENU screen.
- 3 Press ▲/▼ to select "Top menu/title list", and then press ENTER.
 - The title list data from the connected AQUOS LINKcompatible equipment displays.
- **4** Select the title with $\blacktriangle/ \bigtriangledown / \blacklozenge / \blacklozenge /$, and then press \blacktriangleright to start playback.

NOTE

• This function works only when AQUOS LINK-compatible equipment is connected.

Selecting Media Type for AQUOS LINK-Compatible Recorder

You can switch the media (HDD or DVD) for playback or recording on the AQUOS LINK-compatible recorder.

- 1 Press **OPTION** to display the AQUOS LINK MENU screen.
- 2 Press ▲/▼ to select "Media change", and then press ENTER.
- **3** Select the desired media such as DVD or HDD.
 - The Media type toggles each time you press **ENTER** in "Media change".
 - Select the media to be operated by the player.

Listening with the AQUOS AUDIO Speaker System

You can select to listen to the TV sound only from the AQUOS LINK-compatible audio system and manually change its sound mode.

- **1** Press **OPTION** to display the AQUOS LINK MENU screen.
- 2 Press ▲/▼ to select "By AQUOS AUDIO SP", and then press ENTER.
 - The sound from the TV speaker is muted and only the sound from the AQUOS LINK-compatible audio system is audible.
 - You can use **VOL**+/- and **MUTE**.

Select "By AQUOS SP", and then press **ENTER** to listen to the TV sound.

Manually Changing AQUOS AUDIO Speaker System's Sound Mode

- 1 Press **OPTION** to display the AQUOS LINK MENU screen.
- 2 Press ▲/▼ to select "Sound mode change", and then press ENTER.
 - The sound mode changes each time you press ENTER.
 - Refer to the operation manual of the AQUOS LINKcompatible audio system for details.

Displaying the Setup Menu of AQUOS LINK-Compatible Equipment

You can call up a setup menu from the connected AQUOS LINK-compatible equipment.

- 1 Press **OPTION** to display the AQUOS LINK MENU screen.
- **2** Press $\blacktriangle/ \bigtriangledown$ to select "Setup menu", and then press **ENTER**.
 - The setup menu of the AQUOS LINK-compatible equipment is displayed.

NOTE

- Depending on the status of the equipment (recording or in standby mode, etc), the setup menu will not be displayed.
- The setup menu will not be displayed with the player BD-HP20U currently available.

HDMI Device Selection

If multiple HDMI devices are connected in a daisy chain, you can specify which device to control here.

- **1** Press **OPTION** to display the AQUOS LINK MENU screen.
- 2 Press ▲/▼ to select "Model select", and then press ENTER. The HDMI device toggles each time you press ENTER.

Using a PC


Connecting a PC

For connecting the TV to a PC, use commercially available cables.

CAUTION

• To protect the PC, always turn off the TV before connecting it.

■ When using HDMI cable:



INPUT 5, 6, 7 or 8

NOTE

- When connecting a PC to the INPUT 4, set "PC Audio Select" to "Input 4 (PC)". (See page 40.)
- When connecting a PC to the INPUT 6, set "PC Audio Select" to "Input 6 (HDMI)". (See page 40.)
- The HDMI terminals only support digital signal.
- Refer to page 40 for a list of PC signals compatible with the TV.

Displaying a PC Image on the Screen

VIEW MODE

You can select the screen size.

REEZE MENU O O ENTER D LIGHT POWER DISPLAY \blacktriangleright •• (144) (++) (VEW MODE)


1 Press VIEW MODE.


- The View Mode menu displays.
- The menu lists the View Mode options selectable for the type of video signal currently being received.
- 2 Press VIEW MODE or ▲/▼ while the View Mode menu is displayed to select a desired item on the menu.
 - You can sequentially select a View Mode that has its own aspect ratio.

NOTE

- Connect the PC before making adjustments. (See page 38.)
- Selectable screen size may vary with input signal type.

Example: Screen size images





- 1 Press **MENU** to display the MENU screen, and then press **∢**/**▶** to select the Setup or Option menu.
 - For adjusting "Auto Sync." or "Fine Sync.", select the Setup menu.
 - For setting "PC Audio Select", select the Option menu.
- **2** Press \blacktriangle/ \lor to select a specific adjustment item, and then press **ENTER** to set each item.
- **3** Press \blacktriangle/ \lor (or $\checkmark/ \triangleright$) to select or adjust the desired setting, and then press **ENTER**.

Adjusting the PC Image

Auto Sync. (for Analog PC Input Mode Only)

For automatically adjusting the PC image.

Yes: Auto Sync. starts and "Now adjusting the image." displays.

No: This function does not work.

NOTE

- When Auto Sync. is successful, "Completed" displays. If not, Auto Sync. failed.
- Auto Sync. may fail even if "Completed" displays.
- Auto Sync. may fail if the computer image has low resolution, has unclear (black) edges, or is moved while executing Auto Sync.
- Be sure to connect the PC to the TV and switch it on before starting Auto Sync.

Fine Sync.

Ordinarily you can easily adjust the picture as

necessary to change image position using Auto Sync. In some cases, however, manual adjustment is needed to optimize the image.

H-Pos.: Centers the image by moving it to the left or right.

V-Pos.: Centers the image by moving it up or down. Clock: Adjust when the image flickers with vertical stripes.

Phase: Adjust when characters have low contrast or when the image flickers.

NOTE

- For resetting all Fine Sync. adjustment items to the factory preset values, press ▲/▼ to select "Reset", and then press ENTER.
- It is not necessary to adjust the "Clock" or "Phase" when a digital signal is being input, so it cannot be selected.
- The default cursor position may not be in the center, because the screen position variable ranges may be asymmetrical.
- The screen position variable ranges depend on the View Mode or the signal type. The ranges can be seen on the position-setting screen.

Setting Audio Input

PC Audio Select

Determines whether the AUDIO terminal is used for INPUT 4 (PC-IN) or INPUT 6 (HDMI).

Input 4 (PC): Select this item when the audio signal is input via the INPUT 4 (PC-IN) terminal using an analog RGB cable.

Input 6 (HDMI): Select this item when the audio signal is input via the INPUT 6 (HDMI) terminal using an HDMI-DVI conversion cable.

NOTE

- When "PC Audio Select" is set to "Input 6 (HDMI)", sound will not be produced if you use only an HDMI-certified cable to connect HDMI-compatible equipment. To produce sound, you should make an analog audio connection.
- If you want to connect HDMI-compatible equipment using only an HDMI-certified cable, set "PC Audio Select" to "Input 4 (PC)".

PC Compatibility Chart

It is necessary to set the PC correctly to display XGA and WXGA signal.

Resolution		Horizontal Frequency	Vertical Frequency	VESA Standard
	720 x 400	31.5 kHz	70 Hz	
VGA	640 x 480	31.5 kHz	60 Hz	0
		37.9 kHz	72 Hz	0
		37.5 kHz	75 Hz	0
	800 x 600	35.1 kHz	56 Hz	0
SVGA		37.9 kHz	60 Hz	0
SVGA		48.1 kHz	72 Hz	0
		46.9 kHz	75 Hz	0
	1024 x 768	48.4 kHz	60 Hz	0
XGA		56.5 kHz	70 Hz	0
		60.0 kHz	75 Hz	0
WXGA	1360 x 768	47.7 kHz	60 Hz	0
SXGA	1280 x 1024	64.0 kHz	60 Hz	0
SXGA+	1400 x 1050	65.3 kHz	60 Hz	0
UXGA	1600 x 1200	75.0 kHz	60 Hz	0

VGA and XGA are registered trademarks of International Business Machines Corp.

RS-232C Port Specifications

PC control of the TV

• Attach an RS-232C cable cross-type (commercially available) to the supplied Din/D-Sub RS-232C for the connections.

NOTE

• This operation system should be used by a person who is accustomed to using computers.

Communication conditions

Set the RS-232C communication settings on the PC to match the TV's communication conditions. The TV's communication settings are as follows:

Baud rate:	9,600 bps
Data length:	8 bits
Parity bit:	None
Stop bit:	1 bit
Flow control:	None

Communication procedure

Send the control commands from the PC via the RS-232C connector.

The TV operates according to the received command and sends a response message to the PC.

Do not send multiple commands at the same time. Wait until the PC receives the OK response before sending the next command.

Command table

Commands not indicated here are not guaranteed to operate.

CONTROL ITEM COMMAND PARAMETER CONTROL CONTENTS POWER ON COMMAND SETTING RSPWO Off The Power On command rejected. 13 On The Power On command accepted POWER SETTING Power Off 0 W R 0 It shifts to standby. Power On Power On INPUT SELECTION A TOGGLE TGDX (Togale) It input-switches by the toggle. (It is the same as an input change key) ITVD0 ΓV It input-switches to TV. (A channel remains as it is. (Last memory)) INPUT1-8 It input-switches to INPUT1~INPUT8. Input terminal number (1-8) IAVD I N P 1 INPUT SELECTION B INPUT 1 0: Auto, 1: VIDEO, 2: COMPONENT An input change is also included INPUT 2 1 N P 2 0: Auto, 2: COMPONENT, 3: S-TERMINAL AV MODE SELECTION 0: (Toggle), 1: STANDARD, 2: MOVIE, 3: GAME, 4: USER, 5: DYNAMIC (Fixed), 6: DYNAMIC, 7: PC, 100: AUTO AVMD Although it can choose now, it is toggle operation in inside. VOLUME VOLM Volume (0-60) H-POSITION H P O S The screen position variable ranges depend on the View Mode or the POSITION signal type. The ranges can be seen on the position-setting screen. V-POSITION VPOS СЬСК Only PC mode. (0-180) CLOCK PHASE PHISE Only PC mode. (0-40) 0: (Toggle) [AV], 1: Side Bar [AV], 2: S.Stretch [AV] 3: Zoom [AV], 4: Stretch [AV], 5: Normal [PC] 6: Zoom [PC], 7: Stretch [PC], 8: Dot by Dot [PC] [AV], 9: Full Screen [AV] I D E 0: Although it can choose now, it is toggle operation in inside. 1: Only available when 4:3 signal is being input. 5, 6: Only available when 4:3 signal is being input. VIEW MODE W 8: [PC] Available except when UXGA is being input. [AV] Only available when 1080i/p is being input. 9: Only available when 720p is being input. MUTE м и т е 0: (Toggle), 1: On, 2: Off SURROUND ACSU 0: (Toggle), 1: On, 2: Off AUDIO SELECTION ACHA (Toggle) 0: Off, 1: OFF TIMER – 30 MIN., 2: OFF TIMER – 60 MIN. 3: OFF TIMER – 90 MIN., 4: OFF TIMER – 120 MIN. SLEEP TIMEF OFTM CHANNEL An input change is included if it is not TV display In Air, 2–69ch is effective. DIRECT DCCH The channel number of TV CHANNEL (1-135) (ANALOG) n Cable, 1–135ch is effective DIRECT DA2P (0100-9999) DIGITAL Air (Two-Part numbers, 2-digit plus 2-digit) CHANNEL D C 2 U (1-999) DIGITAL Cable (Two-Part numbers, 3-digit plus 3-digit) (DIGITAL) Front half of DIGITAL CABLE CHANNEL NO. (Designate major channel) D C 2 L (0-999) DIGITAL Cable (Two-Part numbers, 3-digit plus 3-digit) Rear half of DIGITAL CABLE CHANNEL NO. (Designate minor channel) * (0-9999) D C 1 0 * * DIGITAL Cable (One-Part numbers, 5-digit, less than 10,000) D C 1 1 (0-6383) DIGITAL Cable (One-Part numbers, 5-digit, more than 10,000) CH UP CHUPX The channel number of TV +1 If it is not TV display, it will input-switch to TV. (same function as CH Λ) CH DOWN CHDWX The channel number of TV -1 If it is not TV display, it will input-switch to TV. (same function as CHV) CLCPX (Togale) Toggle operation of a closed caption.

NOTE

• If an underbar (_) appears in the parameter column, enter a space.

If an asterisk (*) appears, enter a value in the range indicated in brackets under CONTROL CONTENTS.

• Any numerical value can replace the "x" on the table.

Command format

Eight ASCII codes + CR



Command 4-digits Parameter 4-digits Return code

Command 4-digits: Command. The text of four characters. Parameter 4-digits: Parameter 0-9, x, blank, ?

Parameter

Input the parameter values, aligning left, and fill with blank(s) for the remainder. (Be sure that 4 values are input for the parameter.)

When the input parameter is not within an adjustable range, "ERR" returns. (Refer to "Response code format".) Any numerical value can replace the "x" on the table.

> present setting value responds.

0			
0	0	0	9
-	3	0	

O K

When "?" is input for some commands, the

2

Response code format

Normal response

Problem response (communication error or incorrect command)

Return code (0DH)

R R F

Return code (0DH)

Appendix

Removing the Stand


• Before detaching (or attaching) the stand, unplug the AC cord from the AC INPUT terminal.

CAUTION

• Do not remove the stand from the TV unless using an optional wall mount bracket to mount it.

Before attaching/detaching the stand

- Before performing work, make sure to turn off the TV.
- Before performing work spread cushioning over the base area to lay the TV on. This will prevent it from being damaged.



NOTE

• To attach the stand, perform the above steps in reverse order.


Setting the TV on the Wall

CAUTION

- This TV should be mounted on the wall only with the wall mount bracket AN-37AG5 (SHARP). The use of other wall mount brackets may result in an unstable installation and may cause serious injuries.
- Installing the TV requires special skill that should only be performed by qualified service personnel. Customers
 should not attempt to do the work themselves. SHARP bears no responsibility for improper mounting or
 mounting that results in accident or injury.

Using an optional bracket to mount the TV

- You can ask a qualified service professional about using an optional AN-37AG5 bracket to mount the TV on the wall.
- Carefully read the instructions that come with the bracket before beginning work.



NOTE

- Detach the cable clamp on the rear of the TV when using the optional mount bracket.
- To use this TV mounted on a wall, remove the covers at the 4 locations on the rear of the TV, and then use the screws supplied with the wall mount bracket to secure the bracket to the rear of the TV.

Troubleshooting

Problem	Possible Solution
No power	 Check if you pressed TV POWER on the remote control unit. ⇒ Page 14 If the indicator on the TV does not light up, press POWER on the TV. Is the AC cord disconnected? ⇒ Page 7 Has the power been turned on? ⇒ Page 14
Unit cannot be operated.	• External influences such as lightning, static electricity, may cause improper operation. In this case, operate the unit after first turning off the power of the TV or unplugging the AC cord and replugging it in after 1 or 2 minutes.
Remote control unit does not operate.	 Is the FUNCTION set correctly? Set it to the TV setting position. Are batteries inserted with polarity (+, -) aligned? → Page 8 Are batteries worn out? (Replace with new batteries.) Are you using it under strong or fluorescent lighting? Is a fluorescent light illuminated near the remote control sensor? Is "RC Control Lock" selected in "Operation Lock Out"? → Page 29
Picture is cut off/with sidebar screen.	 Is the image position correct? ⇒ Page 25 Are screen mode adjustments such as picture size made correctly? ⇒ Pages 18 and 39
Strange color, light color, or color misalignment	 Adjust the picture tone. ⇒ Pages 21 and 22 Is the room too bright? The picture may look dark in a room that is too bright.
Power is suddenly turned off.	 Is the sleep timer set? ⇒ Page 15 Check the power control settings. ⇒ Page 23 The unit's internal temperature has increased. Remove any objects blocking vent or clean.
No picture	 Is connection to other components correct? → Pages 12,13, 34 and 38 Is correct input signal source selected after connection? → Page 28 Is the correct input selected? → Page 28 Is picture adjustment correct? → Pages 21 and 22 Is "On" selected in "Audio Only"? → Page 28 Is a non-compatible signal being input? → Page 40
No sound	 Is the volume too low? ⇒ Page 15 Is "Variable" selected in "Output Select"? ⇒ Page 28 Have you pressed MUTE on the remote control unit? ⇒ Page 15
 The TV sometimes makes a cracking sound. 	 This is not a malfunction. This happens when the cabinet slightly expands and contracts according to change in temperature. This does not affect the TV's performance.

Troubleshooting-Digital Broadcasting

The error message about reception of broadcast

The example of an error message displayed on a screen Error code		Possible Solution
Failed to receive broadcast.	E202	Check the antenna cable. Check that the antenna is correctly setup.
No broadcast now.	E203	Check the broadcast time in the program guide.

Cautions regarding use in high and low temperature environments

• When the unit is used in a low temperature space (e.g. room, office), the picture may leave trails or appear slightly delayed. This is not a malfunction, and the unit will recover when the temperature returns to normal.

Do not leave the unit in a hot or cold location. Also, do not leave the unit in a location exposed to direct sunlight or near a heater, as this may cause the cabinet to deform and the Liquid Crystal panel to malfunction.
 Storage temperature: -4°F to +140°F (-20°C to +60°C)

Specifications

Item			Model: LC-32LE700UN		
LCD	Size			32" Class (31 ³⁵ / ₆₄ " Diagonal)	
panel	Resolution			2,073,600 pixels (1,920 × 1,080)	
TV-:		/-standard (CCIR)		American TV Standard ATSC/NTSC System	
			VHF/UHF	VHF 2-13ch, UHF 14-69ch	
			CATV	1-135ch (non-scrambled channel only)	
	Recei [,] Chanr		Digital Terrestrial Broadcast (8VSB)	2-69ch	
			Digital cable ^{*1} (64/256 QAM)	1-135ch (non-scrambled channel only)	
	Audio multiplex		olex	BTSC System	
Backlight				100,000 hours (at Backlight Standard position)	
Audio out				10W × 2	
		INPL	JT 1	AV in, COMPONENT in	
		INPUT 2		COMPONENT in, S-VIDEO in	
		INPUT 4		ANALOG RGB (PC) in (15-pin mini D-sub female connector), Audio in (Ø 3.5 mm jack)	
		INPUT 6		HDMI in with HDCP, Audio in (Ø 3.5 mm jack)	
		INPUT 7		HDMI in with HDCP	
	Rear	r INPUT 8		HDMI in with HDCP	
- · ·		ANT	/CABLE	75 Ω Unbalance, F Type \times 1 for Analog (VHF/UHF/CATV) and Digital (AIR/CABLE)	
Terminals		AUDIO		Audio in (Ø 3.5 mm jack)	
		DIGITA	AL AUDIO OUTPUT	Optical Digital audio output \times 1 (PCM/Dolby Digital)	
		OUT	PUT	Audio out	
		RS-2	232C	9-pin D-sub male connector	
		INPL	JT 3	AV in	
	Side	INPL	JT 5	HDMI in with HDCP	
		SERVICE		Software update	
OSD langua	age			English/French/Spanish	
Power Req	uiremer	nt		AC 120 V, 60 Hz	
Power Consumption			130 W (0.5 W Standby with AC 120 V)		
		TV +	stand	26.5 lbs./12.0 kg	
Weight		TV o	nly	23.1 lbs./10.5 kg	
Dimension	2	TV +	stand	$30^{13}/_{64} \times 21^{47}/_{64} \times 10^{7}/_{8}$ inch	
$(W \times H \times$		TV o	nly	$30^{13}_{64} \times 19^{49}_{64} \times 3^{19}_{32}$ inch	
Operating temperature		-	+ 32°F to + 104°F (0°C to + 40°C)		

¹ Emergency alert messages via Cable are unreceivable.

² The dimensional drawings are shown on the inside back cover.

As part of policy of continuous improvement, SHARP reserves the right to make design and specification changes for
product improvement without prior notice. The performance specification figures indicated are nominal values of production
units. There may be some deviations from these values in individual units.

Optional Accessory

The listed optional accessory is available for the Liquid Crystal Television. Please purchase it at your nearest shop.

 Additional optional accessories may be available in the near future. When purchasing, please read the newest catalogue for compatibility and check the availability.

Part name	Model number
Wall mount bracket	AN-37AG5

Information on the Software License for This Product

■ Software composition

The software included in this product is comprised of various software components whose individual copyrights are held by SHARP or by third parties.

Software developed by SHARP and open source software

The copyrights for the software components and various relevant documents included with this product that were developed or written by SHARP are owned by SHARP and are protected by the Copyright Act, international treaties, and other relevant laws. This product also makes use of freely distributed software and software components whose copyrights are held by third parties. These include software components covered by a GNU General Public License (hereafter GPL), a GNU Lesser General Public License (hereafter LGPL) or other license agreement.

Obtaining source code

Some of the open source software licensors require the distributor to provide the source code with the executable software components. GPL and LGPL include similar requirements. For information on obtaining the source code for the open source software and for obtaining the GPL, LGPL, and other license agreement information, visit the following website:

http://www.sharpusa.com/gpl

We are unable to answer any questions about the source code for the open source software. The source code for the software components whose copyrights are held by SHARP is not distributed.

Acknowledgements

- The following open source software components are included in this product:
- linux kernel/busybox/uClibc/zlib/libpng/libjpeg

CLEARING THE SECRET NUMBER

If you forget the secret number, clear the secret number using the following procedure.

- **1** Select an item from the list below to display the secret number input screen. (For operating the on-screen display menu, see page 19.)
 - "EZ Setup", "CH Setup", "Parental CTRL" or "Reset" on the Setup menu.
 - "Color System" on the Option menu.
 - "Software Update" on the Digital Setup menu.
- 2 Press and hold both CHA and VOL+ on the TV simultaneously until the message appears on the screen.



• As a precautionary measure, make a note of your secret number above, cut it from this manual, and keep it in a safe place.

Calling for Service

For location of the nearest Sharp Authorized Service, or to obtain product literature, accessories, supplies, or customer assistance, please call 1-800-BE-SHARP.

LIMITED WARRANTY

CONSUMER LIMITED WARRANTY

SHARP ELECTRONICS CORPORATION warrants to the first consumer purchaser that this Sharp brand Liquid Crystal Display product (the "Product"), when shipped in its original container, will be free from defective workmanship and materials, and agrees that it will, at its option, either repair the defect or replace the defective Product or part thereof with a new or remanufactured equivalent at no charge to the purchaser for parts or labor for the period(s) set forth below.

This warranty does not apply to any appearance items of the Product or if the serial number or model number affixed to the Product has been removed, defaced, changed, altered or tampered with. This warranty does not cover installation or signal reception problems. This limited warranty will not apply if the Product has been or is being used in a commercial setting or application; this warranty is meant solely for the non-commercial, household use of the Product by consumers in their home or residence. If you intend to or already use this Product for commercial purposes or in a commercial setting, there are warranties available to cover your use of this Product, the terms of which may vary. Please contact **1-888-GO-SHARP** for further information.

In order to enforce your rights under this limited warranty, you should follow the steps set forth below. You must be able to provide proof of purchase to the servicer, which proof must include the date of purchase.

To the extent permitted by applicable state law, the warranties set forth are in lieu of, and exclusive of, all other warranties, express or implied. Specifically ALL OTHER WARRANTIES OTHER THAN THOSE SET FORTH ABOVE ARE EXCLUDED, ALL EXPRESS AND IMPLIED WARRANTIES INCLUDING THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR USE, AND FITNESS FOR A PARTICULAR PURPOSE ARE SPECIFICALLY EXCLUDED. IF, UNDER APPLICABLE STATE LAW, IMPLIED WARRANTIES MAY NOT VALIDLY BE DISCLAIMED OR EXCLUDED, THE DURATION OF SUCH IMPLIED WARRANTIES IS LIMITED TO THE PERIOD(S) FROM THE DATE OF PURCHASE SET FORTH BELOW. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

The warranties given herein shall be the sole and exclusive warranties granted by Sharp and shall be the sole and exclusive remedy available to the purchaser and only for the time periods set forth herein. No other representations or promises made by anyone are permitted. Correction of defects, in the manner and for the period of time described herein, shall constitute complete fulfillment of all liabilities and responsibilities of Sharp to the purchaser with respect to the Product, and shall constitute full satisfaction of all claims, whether based on contract, negligence, strict liability or otherwise. Sharp does not warrant nor shall Sharp be liable, or in any way responsible, for Products which have been subject to abuse (including, but not limited to, improper voltage), accident, misuse, negligence, lack of reasonable care, alteration, modification, tampering, misuse, improper operation or maintenance or any damages or defects in the Product which were caused by repairs or attempted repairs performed by anyone other than a Sharp authorized servicer. Nor shall Sharp be liable or in any way responsible for any incidental or consequential economic or property damage. Some states do not allow limits on warranties or on remedies for breach in certain transactions; in such states, the limits herein may not apply.

THIS LIMITED WARRANTY IS VALID ONLY IN THE FIFTY (50) UNITED STATES, THE DISTRICT OF COLUMBIA AND PUERTO RICO.

Model Specific Section	
Your Product Model Number & Description:	LC-32LE700UN LCD Color Television (Be sure to have this information available when you need service for your Product.)
Warranty Period for this Product:	One (1) year parts and labor from the date of purchase.
Additional Exclusions from Warranty Coverage (if any):	In order for the Product to be serviced, the Product must be readily available to the servicer, free and clear of any complex or non-standard installation, mounting or other encumbrance which would unreasonably interfere with servicing the Product. The Servicer will remount the Product after service, provided that such remounting is not into a complex or non-standard installa- tion. Any additional labor and materials required to remove and/or reinstall a Product above and beyond the foregoing are not covered by this warranty, may result in additional charges and are the responsibility of the consumer. Image Retention resulting from a fixed image being displayed for long periods of time is not covered by this Limited Warranty (see Operation Manual on how to prevent this).
Where to Obtain Service:	From a Sharp Authorized Servicer located in the United States. To find the location of the nearest Sharp Authorized Servicer, please call Sharp toll free at 1-800-BE-SHARP.
What to do to Obtain Service:	Contact your Sharp Authorized Servicer to obtain in home service for this product. The Servicer will come to your location and if necessary remove the unit for repair at the Servicer's facility and return the set to you once completed. Be sure to have Proof of Purchase available.

TO OBTAIN PRODUCT INFORMATION OR PURCHASE ACCESSORIES AND EXTENDED WARRANTIES, CALL **1-800-BE-SHARP** OR VISIT <u>www.sharpusa.com</u>

......

SHARP

Consumer Electronics Products

Congratulations on your purchase!

Sharp Electronics of Canada Ltd. (hereinafter called "Sharp") gives the following express warranty to the first consumer purchaser for this Sharp brand product, when shipped in its original container and sold or distributed in Canada by Sharp or by an Authorized Sharp Dealer:

Sharp warrants that this product is free, under normal use and maintenance, from any defects in material and workmanship. If any such defects should be found in this product within the applicable warranty period, Sharp shall, at its option, repair or replace the product as specified herein.

This warranty shall not apply to:

- (a) Any defects caused or repairs required as a result of abusive operation, negligence, accident, improper installation or inappropriate use as outlined in the owner's manual.
- (b) Any Sharp product tampered with, modified, adjusted or repaired by any party other than Sharp, Sharp's Authorized Service Centres or Sharp's Authorized Servicing Dealers.
- (c) Damage caused or repairs required as a result of the use with items not specified or approved by Sharp, including but not limited to head cleaning tapes and chemical cleaning agents.
- (d) Any replacement of accessories, glassware, consumable or peripheral items required through normal use of the product including but not limited to earphones, remote controls, AC adapters, batteries, temperature probe, stylus, trays, filters, belts, ribbons, cables and paper.
- (e) Any cosmetic damage to the surface or exterior that has been defaced or caused by normal wear and tear.
- (f) Any damage caused by external or environmental conditions, including but not limited to transmission line/power line voltage or liquid spillage.
- (g) Any product received without appropriate model, serial number and CSA/cUL markings.
- (h) Any products used for rental or commercial purposes.
- (i) Any installation, setup and/or programming charges.

Should this Sharp product fail to operate during the warranty period, warranty service may be obtained upon delivery of the Sharp product together with proof of purchase and a copy of this LIMITED WARRANTY statement to an Authorized Sharp Service Centre or an Authorized Sharp Servicing Dealer. In home warranty service may be provided at Sharp's discretion on any Sharp television with the screen size of 27" or larger and on any Sharp Over-the-Range Microwave Oven.

This warranty constitutes the entire express warranty granted by Sharp and no other dealer, service centre or their agent or employee is authorized to extend, enlarge or transfer this warranty on behalf of Sharp. To the extent the law permits, Sharp disclaims any and all liability for direct or indirect damages or losses or for any incidental, special or consequential damages or loss of profits resulting from a defect in material or workmanship relating to the product, including damages for the loss of time or use of this Sharp product or the loss of information. The purchaser will be responsible for any removal, reinstallation, transportation and insurance costs incurred. Correction of defects, in the manner and period of time described herein, constitute complete fulfillment of all obligations and responsibilities of Sharp to the purchaser with respect to the product and shall constitute full satisfaction of all claims, whether based on contract, negligence, strict liability or otherwise.

WARRANTY	PERIODS:
----------	----------

S:	Parts & Labour (exceptions noted)
Audio Product	1 year
Camcorder	1 year
DVD Product	1 year
Projector	1 year (lamp 90 days)
LCD TV	1 year
Microwave Oven	1 year (magnetron component-4 additional years)
Air Purifier	1 year
Portable Air Conditioner	1 year

To obtain the name and address of the nearest Authorized Sharp Service Centre or Dealer, please contact: SHARP ELECTRONICS OF CANADA LTD. 335 Britannia Road East, Mississauga, Ontario L4Z 1W9

For more information on this Warranty, Sharp Extended Warranty Offers, Sharp Canada Products, Accessory Sales, Dealer or Service Locations, please call (905) 568-7140 Visit our Web site: www.sharp.ca



Revision 12/16/05